INDEX OF SUBJECTS FOR VOLUME 48

Abbott Ligase Chain Reaction, 507
Abscess
  amoebic liver, 99
  retroperitoneal, 697
N-Acetylneuraminic acid
  transport by *S. oralis*, 375
Acidic conditions
  conformational changes in hepatitis A virus, 443
  response of *N. gonorrhoeae*, 149
Acinetobacter baumannii
  immunological properties of lipopolysaccharide, 479
  typing of multiresistant isolates, 287
Adherence
  enteropathogenic *E. coli* to HEp-2 cells, 41
  glycosaminoglycan-binding proteins in, 223
  H. influenzae type b to epithelial cells, 383
  L. monocytogenes to Caco-2 cells, 117
  M. hominis to HeLa cells, 485
  Salmonella serotype Typhimurium to chick gut explant, 771
Aging
  susceptibility to *C. albicans*, 1093
AIDS patients
  fatal *C. jejuni* bacteraemia in, 601
  mortality rates, 1051
  response to anti-*P. carinii* treatment, 897
Albendazole, in filariasis, 881
Amoebic liver abscess, 99
Ampicillin resistance
  of *Salmonella* serotype Typhimurium, 367
Anaerobes
  microbiology of hidradenitis suppurativa, 103
  in retroperitoneal abscesses, 697
Androstenediol
  protection in experimental infections, 425
Animals
  anthelmintic resistance and control of worms, 323
  see also Cats, Mouse model, Pig model, Rat model
Anthelmintic resistance, 323
Antibiotic resistance
  antiseptics, disinfectants and, 613
  azoles, and *C. glabrata*, 663
  ciprofloxacin, and *S. pneumoniae*, 1101
  grepafloxacin, and *S. pneumoniae*, 1101
  itraconazole, and *A. fumigatus*, 1085
  β-lactamases in *Y. enterocolitica*, 1023
  management in developing countries, 221
  methicillin, and *S. aureus*, 17, 67, 297, 495, 515
  metronidazole, and *H. pylori*, 407
  multiresistant *A. baumannii*, 287
  multiresistant enterococci, 935
  multiresistant *Salmonella* serotype Typhimurium, 367
  mupirocin, and multiresistant *S. aureus*, 303
  overview of problems, 1052
  patterns among blood culture isolates, 67
  penicillin, and *S. pneumoniae*, 1105
  quinolones, and *E. cloacae*, 73
  vancomycin, and enterococci, 695
Antibiotics and other antimicrobial substances
  carbapenems,and endotoxin release in *P. aeruginosa*, 309
  doxycycline, in leptospirosis, 417
  impact of developments, 1051
  liposomal, anti-chlamydial activity, 689
  in penicilliosis marneffei, 975
  sexually transmitted infections in developing countries, 221
  susceptibility of *E. rhusiopathiae*, 795
  susceptibility of *Salmonella* serotype Typhimurium, 1037
  susceptibility of *Y. enterocolitica* and *Y. intermedia*, 157
Antibodies
  against *B. burgdorferi*, 5
  against *B. henselae*, 849
  against *B. pertussis*, 95, 1079
  against cytomegalovirus, 947
  against *H. pylori*, 501, 1043
  against mutans streptococci, 917
  against *P. carinii*, 681
  against rubella virus, 1047, 1073
  against Shiga toxin, 11
  against *S. typhi*, 79
  against *Y. pestis*, 751
  anti-idiotypic, 751
  automated screening, 1047
  in oral fluid, 1043
  in whey preparations, 917
Antigens
  B. burgdorferi, 5, 59
  B. cepacia, 825
  B. pertussis, 1079
  Brucella spp., 833
  circulating, in amoebic liver abscess, 99
  C. jejuni, 617
  cytomegalovirus, 1029
  E. rhusiopathiae, 791
  group B streptococci, 983
  in *H. pylori* vaccines, 1
  L. interrogans, 977
  M. tuberculosis, 585, 757
  N. meningitidis, 1057
  P. carinii, 681
  Salmonella serotype Enteritidis, 253
  Y. pestis, 751
Antiseptics
  effects on antibiotic resistance, 613
Antiserum
  against capsular type polysaccharide, 983
  against *P. aeruginosa*, 765
  V. mimicus cross-reaction with *V. cholerae* O139, 873
Aspergillosis, 1085
Aspergillus spp.
  A. fumigatus, itraconazole resistance, 1085
  A. fumigatus, molecular epidemiology, 181
  A. fumigatus, mouse model of aspergillosis, 1085
  A. terreus, strain differentiation, 161
Aureobacterium liquefaciens
  mis-identification, 965
Axillary hidradenitis suppurativa, 103
Azoles
  resistance of *C. glabrata*, 663

Bacteraemia
  antibiotic resistance patterns of isolates, 67
  C. jejuni, 601
  H. influenzae type b, 383
Bacteriophages
  subtyping MRSA, 297
  typing of *Salmonella* serotype Typhimurium, 1037
Bacteroides spp.
  B. fragilis fragilysin, 999
  B. fragilis virulence markers, 999
  cryptic plasmids, 25
  in hidradenitis suppurativa, 103
  in retroperitoneal abscesses, 697
Bartonella henselae
  seroprevalence in cats, 849
Benzimidazole resistance, 323
Bifidobacteria
  growth promotion by lactoferrin, 541
  oligofructose and protective role against NEC, 89
Biofilms
  C. albicans, structure of, 671
  ultrastructure of *G. vaginalis* and, 211
Biopsies
  from Crohn's disease lesions, 263
Blood cultures
  antibiotic resistance patterns, 67
BOOK REVIEWS
  Biotherapeutic Agents and Infectious Diseases (edited by G. W. Elmer, L. V. McFarland and C. M. Surawicz), 1049

Cases in Medical Microbiology and Infectious Diseases, 2nd edition (P. H. Gilligan, M. L. Smiley and D. S. Shapiro), 972
Clinical Tuberculosis, 2nd edition (edited by P. D. O. Davies), 219
Defense of Mucosal Surfaces: Pathogenesis, Immunity and Vaccines – Current Topics in Microbiology and Immunology, volume 236 (edited by J-P. Kraehenbuhl and M. R. Neutra), 1048
DNA Vaccination/Genetic Vaccination (edited by H. Koprowski and D. B. Weiner), 604
Essential Procedures for Clinical Microbiology (edited by H. D. Isenberg), 416
Hospital-acquired Infection: Principles and Prevention (G. A. J. Ayliffe, J. R. Babb and L. J. Taylor), 972
Laboratory-acquired Infections: History, Incidence, Causes and Prevention (C. H. Collins and D. A. Kennedy), 1048
Methods in Molecular Medicine: Sexually Transmitted Diseases – Methods and Protocols (edited by R. W. Peeling and P. F. Sparling), 704
Molecular Bacteriology: Protocols and Clinical Applications – Methods in Molecular Medicine, volume 15 (edited by N. Woodford and A. P. Johnson), 219
Mycobacteria Protocols – Methods in Molecular Biology, volume 101 (edited by T. Parish and N. G. Stoker), 878
Mycoplasma Protocols: Methods in Molecular Biology, volume 104 (edited by R. Miles and R. Nicholas), 220
Pharmaceutical Microbiology, 6th edition (edited by W. B. Hugo and A. D. Russell), 704
Principles and Practice of Disinfection, Preservation and Sterilization, 3rd edition (edited by A. D. Russell, W. B. Hugo and G. A. J. Ayliffe), 878
Reoviruses I: Cytopathogenicity and Pathogenesis – Current Topics in Microbiology and Immunology 233/II (edited by K. L. Tyler and M. B. A. Oldstone), 110
Reoviruses I: Structure, Proteins and Genetics – Current Topics in Microbiology and Immunology 233/I (edited by K. L. Tyler and M. B. A. Oldstone), 110
Urinary Tract Infections (edited by W. Brumfitt, J. M. T. Hamilton-Miller and R. R. Bailey), 219
Bordetella pertussis
antigens, 1079
bactericidal activity of lung lavage fluid, 637
coughing rat model of infection, 95
specific antibody response, 1079
Borrelia burgdorferi
antigens, 59
isolation from ticks in Scotland, 59
recombinant proteins in serodiagnosis, 5
Brucella spp.
host response to *B. abortus*, 1063
lumazine synthase, 833
Burkholderia spp.
B. cepacia, in cystic fibrosis, 419
B. cepacia, *fliC* variation, 657
B. cepacia, lipopolysaccharide chemotypes, 825
B. cepacia, mucin-sulphatase activity, 551
B. cepacia, nitric oxide-induced potentiation of killing, 419
B. pseudomallei, type III secretion genes, 649

Calymmatobacterium granulomatis
epidemiology, 707
growth and characteristics, 707
phylogenetic analysis, 841
presentation and diagnosis, 707
Campylobacters
C. jejuni bacteraemia and AIDS, 601
C. jejuni, cytotoxic porin-LPS complex, 139
C. jejuni, serotyping and genotyping, 617
invasion mechanisms, 461
Candida spp.
C. albicans, effects of age on infection, 1093
C. albicans, inhibition of secreted aspartyl proteinase by lysozyme, 721
C. albicans, structure of biofilms, 671
C. albicans, ultrastructural studies, 167
C. glabrata, mtDNA deficiency and azole resistance, 663
C. glabrata, typing methods, 955
nutrient-free silica gel medium, 1128
secreted aspartyl proteinases, 711, 721
selective isolation from sputum, 1128
Capsid
of hepatitis A virus, 443
Carbapenems
endotoxin release in *P. aeruginosa*, 309
Catheter-related infections
Aureobacterium masquerading as *C. aquaticum*, 965
epidemiology, in neonates, 451
Cats
B. henselae in, 849
Cell culture
adherence of *E. coli* to HEp-2 cells, 41
adherence of *L. monocytogenes* to Caco-2, 117
cyto-adherence of *M. hominis*, 485
electrophysiology of *C. perfringens* enterotoxin, 235
inhibition of multiresistant enterococci, 935
interferon-γ-activated, 935
invasion of Caco-2 by campylobacters, 461
Cephalosporins
susceptibility of *Yersinia* spp., 157
Children
antibodies to Shiga toxin, 11
enteroaggregative *E. coli* in diarrhoea, 1011
epidemiology of CVC infections in neonates, 451
haemolytic uraemic syndrome, 11
infantile diarrhoea, mortality, 1052
infantile diarrhoea, novel EPEC serotype, 1121
microbiology of retroperitoneal abscesses, 697
Chlamydia
antibiotic use in developing countries, 221
control of sexually transmitted infections, 221
C. trachomatis, comparison of Gen-probe and LCR assays, 507
C. trachomatis, and liposomal antibiotics, 689
effect of urine on *C. trachomatis* PCR, 215
Chloramphenicol resistance
Salmonella serotype Typhimurium, 367
Chloroquine, and malaria, 879
Ciprofloxacin
resistance of *S. pneumoniae*, 1101
Clostridia
C. butyricum, neurotoxigenic, 133
C. perfringens, electrophysiology of enterotoxin, 235
Colostral proteins, 917
Conidia
of *Sporothrix schenckii*, 195
Corynebacteria
C. aquaticum, mis-identification, 965
C. diphtheriae, molecular typing, 335
Coughing rat model of pertussis, 95
Counter-current immunoelectrophoresis, 99
Crohn's disease, 263
Cryptococcus neoformans
phospholipase activities, 731
Cryptosporidia
in acute diarrhoea, 523
Culture media
acid response of *N. gonorrhoeae*, 149
isolation of *H. influenzae*, 1109
isolation of *S. pneumoniae*, 1109
nutrient-free silica gel, 1128
ocular infections and, 701
selective isolation of *Candida* spp., 1128
Cystic fibrosis, 357, 419, 551
Cytomegalovirus
detection of, 1029
early antigen fluorescent foci, 1029
functional antibody response, 947
Cytotoxins
porin-LPS complex of *C. jejuni*, 139

DDT, 879
Dehydroepiandrosterone
protection in experimental infections, 425
Dengue, 880
Dermatophytes
skin and nail infections, 33
typing methods for, 33
Dermonecrotic toxin, of *P. multocida*, 125
Diabetic patients, 535
Diarrhoea

clonal structure of *P. alcalifaciens* strains, 205
cryptosporidia in, 523
enteroaggregative *E. coli*, 1011
infant mortality, 1052
novel EPEC serotype, 1121
virulence of atypical EPEC strains, 41
Diethylcarbamazine citrate, in filariasis, 881
Disinfectants
effects on antibiotic resistance, 613
Disinfection, solar, 786
DNA
analysis of dermonecrotic toxin-producing *P. multocida*, 125
comparison of purification methods, 857
detection of cytomegalovirus, 1029
detection of *M. pneumoniae* in throat specimens, 1113
detection of *P. marneffei*, 974
eubacteria in Crohn's disease lesions, 263
mitochondrial deficiency in *C. glabrata*, 663
molecular characterisation of VTEC O111, 891
molecular fingerprinting of *P. gingivalis*, 741
molecular typing of *A. fumigatus*, 181
molecular typing of *N. meningitidis*, 1053
phylogenetic analysis of *C. granulomatis*, 841
RAPD analysis of *A. fumigatus*, 181
RAPD analysis of *A. terreus* strains, 161
RAPD analysis of *C. diphtheriae*, 335
RAPD analysis of dermatophytes, 33
RAPD analysis of *E. sakazakii* isolates, 559
RAPD analysis of *N. meningitidis*, 1057
RAPD typing of *C. glabrata*, 955
subtyping of *P. multocida* strains, 279
typing methods for dermatophytes, 33
typing of MRSA, 17
Donovan bodies, 707
Donovanosis, 707
Doxycycline
in leptospirosis, 417
liposomal, anti-chlamydial activity, 689

Ehrlichiosis, 991
Electron microscopy
histotoxicity of *Salmonella* Typhimurium, 811
invasiveness of salmonellae, 801
Rickettsia-like organisms, 991
scanning, 167, 671, 801
structure of *C. albicans* biofilms, 671
transmission, 211, 801, 811, 991
ultrastructure of *C. albicans*, 167
ultrastructure of *G. vaginalis*, 211
Electrophoresis *see* Immunoelectrophoresis, Multilocus enzyme electrophoresis, Pulsed-field gel electrophoresis
Electrophysiology
C. perfringens enterotoxin in cell culture, 235
Elephantiasis, 880
ELISA
diagnosis of *H. pylori* infection, 501
H. pylori, oral fluid antibody detection, 1043
in molecular typing of *N. meningitidis*, 1057
Endocarditis, *E. rhusiopathiae*, 794
Endotoxins
carbapenem-induced, in *P. aeruginosa*, 309
hormonal protection against, 425
Enterobacteriaceae
antibiotic resistance of blood culture isolates, 67
cross-reactivity between LPS cores, 433
Enterobacter spp.
E. cloacae, analysis of *gyrA* mutations, 73
E. cloacae, quinolone resistance, 73
E. sakazakii, typing schemes, 559
Enterococci
E. faecalis, hormonal protection against infection, 425
identification with commercial kits, 695
inhibition by interferon-γ, 935
multiresistant, 935
vancomycin-resistant, 695
Enterotoxins
of *B. fragilis*, 999
of coagulase-negative staphylococci, 819
C. perfringens, electrophysiology of, 235
of *V. cholerae*, 51
Enzyme immunoassay (EIA)
serodiagnosis of neuroborreliosis, 5
Epidemiology
antimicrobial resistance of *Salmonella* serotype Typhimurium, 367
B. henselae in cats, 849
C. jejuni, 617
clonal structure of *P. alcalifaciens* strains, 205
CVC-related infections in neonates, 451
donovanosis, 707
E. rhusiopathiae, 792
leptospirosis, 417
molecular typing of *A. fumigatus*, 181
molecular typing of *L. pneumophila*, 327
molecular typing of *N. meningitidis*, 1053
multiresistant *A. baumannii*, 287
poliovirus infection, 569
verocytotoxic *E. coli*, 891
Erysipelas, 789
Erysipeloid, 794
Erysipelothrix rhusiopathiae
bacteriology, 789
clinical manifestations in man, 793
epidemiology, 792
isolation and laboratory identification, 795
treatment and prevention, 795
Escherichia coli
antibiotic resistance of blood culture isolates, 67
cross-reactivity between LPS cores, 433
diarrhoea in children, 1011, 1121
distribution of *aggA* and *aafA* sequences, 597
effects of triclosan, 613
enteroaggregative (EAEC), 597, 1011
enteropathogenic (EPEC), 41, 1121
expression of *flaB*, 977
fimbriae, 597
growth in diabetic urine, 535
haemolysins, 41
identification by PCR, 1011
intimins, 41
novel EPEC serotype, 1121
in retroperitoneal abscesses, 697
verocytotoxin-producing (VTEC), 891
virulence factors, 41
Eubacteria
in biopsies from Crohn's disease lesions, 263
Exo-enzymes
of *P. aeruginosa*, 765

Faeces
PCR detection of *V. cholerae*, 883
Farmer's lung disease, 173
Fasciola hepatica
control of infection, 323
Fatty acid modifying enzyme (FAME)
activator in *S. epidermidis*, 245
Filariasis, 880
Fimbriae
elaboration by *Salmonella* serotype Enteritidis, 253
of enteroaggregative *E. coli*, 597
of *H. influenzae* type b, 383
of *Salmonella* serotype Typhimurium, 771
Flagella
elaboration by *Salmonella* serotype Enteritidis, 253
of *Salmonella* serotype Typhimurium, 771
Flagellin
of *B. burgdorferi*, 59
gene variation in *B. cepacia*, 657
periplasmic, of *L. interrogans*, 977
Fluid accumulation
V. cholerae-induced, 51
Fluorescent antibody test, indirect (IFAT), 991
Food poisoning, staphylococcal, 819
Foot infection, *Prevotella* spp., 109
Fragilysin, of *B. fragilis*, 999
Fusarium spp.
pathogenicity in mouse model, 363
Fusobacterium spp.
in hidradenitis suppurativa, 103

Gardnerella vaginalis
ultrastructural studies, 211

Gastric carcinoma, 501
Gastritis, 349
Gastrointestinal tract
new helical bacterium, 401
Gender
immune response to rubella virus, 1073
Genes
aggA and *aafA* sequences in *E. coli*, 597
diversity of canine gastric helicobacters, 341
flaA transcription in *H. pylori*, 395
fliC variation in *B. cepacia*, 657
gyrA mutations in *E. cloacae*, 73
molecular typing of *N. meningitidis*, 1056
periplasmic flagellin (*flaB*) of *L. interrogans*, 977
phylogenetic analysis of *C. granulomatis*, 841
quinolone resistance of *S. pneumoniae*, 1101
toxin A of *V. cholerae*, 883
type III secretion, in *B. pseudomallei*, 649
virulence of *V. cholerae*, 51
Genital infections
antibiotic use in developing countries, 221
detection of *C. trachomatis*, 507
donovanosis, 707
Gen-probe PACE 2 Assay, 507
Glycosaminoglycan-binding proteins
in microbial pathogenicity, 223
Gonococci *see Neisseria gonorrhoeae*
Granuloma inguinale, 707
Grepafloxacin resistance
S. pneumoniae, 1101

Haemolysins
of atypical EPEC strains, 41
Haemolytic uraemic syndrome, 11
Haemophilus spp.
H. influenzae biogroup aegyptius, 629
H. influenzae, culture media, 1109
H. influenzae, Fur and iron transport proteins, 629
H. influenzae, isolation from sputum, 1109
IgA proteases in, 389
role of fimbriae in pathogenesis of Hib, 383
Heat-shock proteins
of *H. pylori*, 927
Helical bacterium
in human gastrointestinal tract, 401
Helicobacter spp.
canine gastric, 341
genetic diversity in PFGE, 341
H. pylori, antibody detection in oral fluid, 1043
H. pylori, atmosphere and metronidazole resistance, 407
H. pylori, colonisation efficiency, 395
H. pylori, effects of rose oil products on growth, 705
H. pylori, *flaA* transcription, 395
H. pylori, in gastric carcinoma, 501
H. pylori, heat-shock protein, 927
H. pylori, induction of IL-8, 927
H. pylori, maintenance in mineral water, 971
H. pylori, PCR-based diagnosis, 349
H. pylori, prospects for vaccines, 1
H. pylori, serological and direct diagnosis, 501
H. pylori, in subgingival plaque, 317
Helminths
control of infection, 323
Heparin-binding proteins
microbial pathogenicity and, 223
Hepatitis A virus
acid-induced conformational changes, 443
Hidradenitis suppurativa, 103
Histotoxin
of *Salmonella* serotype Typhimurium, 811
HIV infection
in developing countries, 221
donovanosis and, 707
human cytomegalovirus infection and, 947
penicilliosis marneffei and, 973
Hookworms
control of infection, 323
Hormonal influences
protection in experimental infections, 425
response to rubella virus, 1073

Ileal loop
activities of *B. fragilis* fragilysin, 999
fluid accumulation, and *V. cholerae*, 51
histotoxicity of *Salmonella* Typhimurium, 811
Immune response
aging and *C. albicans* infection, 1093
mice to *M. avium* infection, 577
role of interferon-γ, 111
sex differences in, 1073
to *B. abortus*, 1063
to *B. pertussis*, 1079
to cytomegalovirus, 947
to *H. pylori*, 1
to LPS cores, 433
to porins of *S. typhi*, 79
to rubella re-immunisation, 1073
Immunisation
against rubella virus, 1073
cows against mutans streptococci, 907
meningococcal disease and, 943
mice against *M. tuberculosis*, 757
mice against *P. aeruginosa*, 765
mice against *S. typhi*, 79
mice against *Y. pestis*, 751
passive, 765, 917
Immunoassay *see* Enzyme immunoassay
Immunoblotting
diagnosis of *P. carinii* infection, 681
toxoplasma assays, 593
Immunoelectrophoresis, counter-current, 99
Immunofluorescence assay
diagnosis of *P. carinii* infection, 681
Immunoglobulins
in diagnosis of *P. carinii* infection, 681
IgA proteases in *Haemophilus* spp., 389
IgG in *H. pylori* infection, 1043
in toxoplasma immunoblotting, 593
Influenza virus, pandemic, 1051
Interferon-γ
in *B. abortus* infection, 1063
inhibition of multiresistant enterococci, 935
therapeutic applications, 111
Interleukins
IL-12, abnormalities in regulation, 111
IL-12 in *B. abortus* infection, 1063
induction of IL-8 by *H. pylori* HSP60, 927
Intimins
of atypical EPEC strains, 41
Iron regulation
in *H. influenzae* aegyptius, 629
Itraconazole
resistance of *A. fumigatus*, 1085
Ivermectin, 323, 881

β-Lactamases
in *Y. enterocolitica*, 1023
β-Lactams
susceptibilities of *Yersinia* spp., 157
Lactoferrin
antistaphylococcal action, lysozyme and, 867
promotion of growth of bifidobacteria, 541
Lectin typing
methicillin-resistant *S. aureus*, 495
Legionella pneumophila
molecular typing, 269, 327
Leptospira spp.
diagnosis of infection, 417
epidemiology, 417
L. interrogans, periplasmic flagellin gene, 977
vaccines, 417
Leptospirosis, 417
Leucocytes
phagocytosis of streptococci, 917
Levamisole resistance, 323

Lipo-oligosaccharides
of *Serpulina pilosicoli*, 411
Lipopolysaccharide (LPS)
A. baumannii, 479
B. cepacia, 825
cross-reactivity between core chemotypes, 433
hormonal protection against toxicity, 425
porin-LPS complex of *C. jejuni*, 139
Y. pestis, 751
Liposome-encapsulated antibiotics, 689
Lipoteichoic acid
effects of lactoferrin, 867
Listeria monocytogenes
adhesion to Caco-2 cells, 117
surface protein p104, 117
Liver abscess, antigen detection, 99
Liver fluke, 323
Lumazine synthase, of *Brucella* spp., 833
Lung lavage fluid
bactericidal activity against *B. pertussis*, 637
Lyme disease, 59
Lysozyme
antistaphylococcal action, lactoferrin and, 867
inhibition of candidal secreted aspartyl proteinase, 721

Macrophages
in *B. abortus* infection, 1063
Malaria, 879, 1051
Measles-mumps-rubella (MMR) vaccine, 1073
Media *see* Culture media
Medical microbiology
as a clinically based discipline, 1052
milestones of, 1051
Mefloquine, and malaria, 879
Meningitis
H. influenzae type b, 383
Meninogococci *see Neisseria meningitidis*
Methicillin
MRSA and MSSA in single colony, 515
resistant *S. aureus* (MRSA), 17, 67, 297, 495, 515
Metronidazole resistance
H. pylori, 407
Microbiology *see* Medical microbiology
Monoclonal antibodies
against *L. monocytogenes*, 117
Mosquito-borne diseases, 879
Mouse model
aging and susceptibility to *C. albicans*, 1093
B. abortus infection, 1063
growth and virulence of *P. mirabilis*, 527
hormonal protection against infections, 425
immune response to porins of *S. typhi*, 79
immunotherapy of *P. aeruginosa* septicaemia, 765
itraconazole resistance in aspergillosis, 1085
M. avium infection, 577
P. aeruginosa exotoxin A in lung, 471
pathogenicity of *Fusarium* spp., 363
pathogenicity of *H. influenzae* type b, 383
S. aureus pneumonia, 1005
virulence of group B streptococci, 983
Mouse protection test, 796
Mucin-sulphatase activity
of *B. cepacia*, 551
of *P. aeruginosa*, 551
Multilocus enzyme electrophoresis (MLEE)
molecular epidemiology of *A. fumigatus*, 181
molecular typing of *N. meningitidis*, 1054, 1058
Multilocus sequence typing (MLST)
of *N. meningitidis*, 1056
Mupirocin
resistance in *S. aureus*, 303
Mycobacteria
abnormalities in immune response, 111
disseminated non-tuberculous infections (DNTM), 111
M. avium, immune response in mouse model, 577
M. tuberculosis, secretory proteins and protective efficacy, 757
M. tuberculosis, Triton solubilised protein antigen, 585
M. ulcerans, clinical features and diagnosis, 511
M. ulcerans, epidemiology and transmission, 511
M. ulcerans, pathogenesis, 511
M. ulcerans, treatment and control, 511
Mycoplasmas
adhesin P50 of *M. hominis*, 485
M. pneumoniae in throat specimens, 1113

Nail infections, dermatophyte, 33
Necrotising enterocolitis (NEC), 89
Neisseria spp.
N. gonorrhoeae, antibiotic use in developing countries, 221
N. gonorrhoeae, response to acid conditions, 149
N. meningitidis, antigens, 1057
N. meningitidis, epidemiology, 1053
N. meningitidis, molecular typing, 1053
N. meningitidis, risk factors for disease, 943
Nematodes
control of infection, 323
filariasis, 880
Neuroborreliosis, 5
Neurotoxins
of *C. butyricum*, 133
Neutrophils
effects of cryptococcal phospholipase, 731
Nitric oxide
role in killing of *B. cepacia*, 419
Nosocomial infections
L. pneumophila, 327
methicillin-resistant *S. aureus*, 17

Ocular infections, 701
Oligofructose
in protection against NEC, 89
Oral fluid
H. pylori antibody detection, 1043
Oral infections
detection of *Prevotella* spp., 1017
see also Periodontitis
Oropharyngeal samples
PCR typing of *P. carinii*, 897

Pasteurella multocida
dermonecrotic toxin, 125
subtyping of strains, 279
PCR
arbitrarily primed, 327, 1057
detection of cytomegalovirus, 1029
detection of *Erysipelothrix* spp., 796
detection of faecal *V. cholerae*, 883
detection of *M. pneumoniae* in throat specimens, 1113
detection of *P. intermedia* and *P. nigrescens*, 1017
detection of pneumolysin, 863
detection of *T. gondii*, 857
diagnosis of *H. pylori* infection, 349
effect of urine on detection of *C. trachomatis*, 215
eubacteria in Crohn's disease lesions, 263
fingerprinting of *P. gingivalis*, 741
flagellin gene, *B. burgdorferi*, 59
flagellin gene variation in *B. cepacia*, 657
gyrA mutations in *E. cloacae*, 73
hemi-nested, 857
identification of enteroaggregative *E. coli*, 1011
identification of *H. pylori* in subgingival plaque, 317
identification of *P. aeruginosa*, 357
inter-repeat (IR-PCR), 955
isolation of *B. burgdorferi* from ticks, 59
molecular typing of *C. diphtheriae*, 335
molecular typing of *L. pneumophila*, 327
molecular typing of *N. meningitidis*, 1056
repetitive extragenic palindromic sequences (REP-PCR), 741
response to anti-*P. carinii* treatment, 897
Roche Amplicor, 215
typing of *C. glabrata*, 955
typing of dermatophytes, 33
Penicillin resistance
of *S. pneumoniae*, 1105
Penicillium marneffei
clinical features and diagnosis, 973
laboratory diagnosis, 974
mycology, 973

treatment, 975
Peptostreptococcus spp.
in hidradenitis suppurativa, 103
in retroperitoneal abscesses, 697
Periodontitis
H. pylori in subgingival plaque, 317
Peripheral blood mononuclear cells (PBMC)
antibody response to *B. pertussis*, 1079
Pertussis, 95
Phage typing *see* Bacteriophages
Phagocytes
effective killing by, 111
Phagocytosis
mutans streptococci by leucocytes, 917
Phospholipase activities
of *C. neoformans*, 731
Piglets (gnotobiotic)
H. pylori colonisation efficiency, 395
colonisation by salmonellae, 907
Plasmids
cryptic, of *Bacteroides* spp., 25
Plasmodium spp.
prospects for disease control, 879
Platelets
Rickettsia-like organisms in, 991
Pneumocystis carinii
monitoring response to treatment, 897
pneumonia, 681, 897
rat-derived antigen in serodiagnosis, 681
Pneumolysin
detection in sputum, 863
Pneumonia
P. carinii, 681, 897
S. aureus, 1005
Pneumonitis, 417
Poliovirus infection
molecular epidemiology, 569
Polysaccharide
streptococcal capsular type, 983
Porins
cytotoxic porin-LPS complex of *C. jejuni*, 139
of *S. typhi*, 79
Porphyromonas gingivalis
molecular fingerprinting, 741
Praziquantel resistance, 323
Prevotella spp.
foot infection after wound licking, 109
in hidradenitis suppurativa, 103
PCR detection of *P. intermedia*, 1017
PCR detection of *P. nigrescens*, 1017
in retroperitoneal abscesses, 697
in suppurative oral infection, 1017
PROCEEDINGS OF THE PATHOLOGICAL SOCIETY OF GREAT BRITAIN AND IRELAND, 605, 1129
Propionibacterium acnes
in ocular infections, 701
Proteases
of *B. fragilis*, 999
of *Haemophilus* spp., 389
of *Proteus* spp., 623
Proteinases
secreted aspartyl, of *Candida* spp., 711, 721
Proteins
acid response of *N. gonorrhoeae*, 149
colostral, passive immunisation, 917
cytoplasmic, of *Brucella* spp., 833
Fur and iron transport, in *H. influenzae* aegyptius, 629
glycosaminoglycan-binding, in microbial pathogenicity, 223
heat-shock, of *H. pylori*, 927
recombinant, in serodiagnosis of neuroborreliosis, 5
secretory, of *M. tuberculosis*, 757
surface, of *L. monocytogenes*, 117
Triton solubilised, of *M. tuberculosis*, 585
whole-cell, of *P. multocida*, 279
Proteoglycans
in microbial pathogenicity, 223
Proteus spp.
P. mirabilis, growth and virulence factor expression, 527
proteases, 623
Providencia alcalifaciens
clonal structure of strains, 205
Pseudomonas aeruginosa
carbapenem-induced endotoxin release, 309
in cystic fibrosis, 357
effects of exotoxin A, 471
exo-enzymes, 471, 765
gut-derived sepsis, 765
hormonal protection against infection, 425
mucin-sulphatase activity, 551
in ocular infections, 701
passive immunotherapy, 765
PCR identification, 357
Public health, impact of improvements, 1051
Pulsed-field gel electrophoresis (PFGE)
genetic diversity of canine gastric helicobacters, 341
genotyping of *C. jejuni*, 617
molecular typing of *L. pneumophila*, 269, 327
molecular typing of *N. meningitidis*, 1055
nosocomial MRSA infections, 17
subtyping MRSA, 297
susceptibility of *Salmonella* serotype Typhimurium, 1037
typing of catheter-related infections, 451
typing of *E. sakazakii* isolates, 559
typing of *S. dysenteriae* type 1, 781
Purpuric fever, 629
Pyrantel resistance, 323

Quails
protective role of bifidobacteria in NEC, 89
Quinolones
resistance of *E. cloacae*, 73

Rabbit ileum
invasiveness of salmonellae, 801
see also Ileal loop
Rat model
B. pertussis infection, cough production, 95
Respiratory infection, and meningococcal disease, 943
Restriction endonuclease analysis
cryptic plasmids of *Bacteroides* spp., 25
gyrA mutations in *E. cloacae*, 73
molecular typing of *N. meningitidis*, 1054, 1058
P. multocida, 279
typing of dermatophytes, 33
Restriction fragment-length polymorphism (RFLP) analysis
C. glabrata, 955
flagellin gene variation in *B. cepacia*, 657
molecular typing of *L. pneumophila*, 269
molecular typing of *N. meningitidis*, 1056
quinolone resistance of *S. pneumoniae*, 1101
Retroperitoneal abscesses, 697
Ribotyping
clonal structure of *P. alcalifaciens* strains, 205
N. meningitidis, 1056
P. multocida strains, 279
Rose oil products
effects on *H. pylori* growth, 705
Rubella virus
automated antibody screening, 1047
sex differences in immune response, 1073

Saccharopolyspora rectivirgula
identification scheme, 173
Saliva
candidal secreted aspartyl proteinases in, 711
Salmonellae
abnormalities in immune response, 111
colonisation in pigs, 907
interaction between isogenic and unrelated strains, 907
serotype Choleraesuis, cross-reactivity between LPS cores, 433
serotype Choleraesuis, invasiveness, 801
serotype Dublin, invasiveness, 801
serotype Enteritidis, elaboration of fimbriae and flagellae, 253
serotype Typhimurium, adherence, 771
serotype Typhimurium, antibiotic resistance, 367
serotype Typhimurium, antimicrobial susceptibility, 1037
serotype Typhimurium, fimbriae and flagella, 771
serotype Typhimurium, histotoxin, 811

serotype Typhimurium, invasiveness, 801
serotype Typhimurium, molecular epidemiology, 367, 1037
serotype Typhimurium, PFGE analysis, 1037
serotype Typhimurium, phage typing, 1037
S. typhi, immune response to porins, 79
Schistosoma mansoni
control of infection, 323
SDS-PAGE
whole-cell proteins of *P. multocida*, 279
Septicaemia
E. rhusiopathiae, 794
P. aeruginosa, 765
Serology
antigen detection in amoebic liver abscess, 99
diagnosis of *H. pylori* infection, 501
diagnosis of neuroborreliosis, 5
diagnosis of *P. carinii* infection, 681
staphylococcal, usefulness, 107, 108
Serotyping
C. jejuni, 617
novel EPEC serotype, 1121
Serpulina pilosicoli
lipo-oligosaccharides, 411
Sexually transmitted infections
antibiotic use, 221
detection of *C. trachomatis*, 507
in developing countries, 221
Shigella dysenteriae
antibodies to Shiga toxin, 11
haemolytic uraemic syndrome, 11
typing by PFGE, 781
Skin infections, dermatophyte, 33
Solar disinfection, 786
Sporothrix schenckii
virulence of conidia, 195
Sputum
detection of pneumolysin, 863
isolation of *H. influenzae*, 1109
isolation of *S. pneumoniae*, 1109
selective isolation of *Candida* spp., 1128
Staphylococci
antibiotic resistance of blood culture isolates, 67
catheter-related infections, 451
coagulase-negative, 67, 451, 819
effects of antiseptics and disinfectants, 613
enterotoxins, 819
food poisoning, 819
methicillin-resistant *S. aureus* (MRSA), 17, 67, 297, 495, 515
S. aureus, antibiotic resistance of blood culture isolates, 67
S. aureus, in hidradenitis suppurativa, 103
S. aureus, lectin typing, 495
S. aureus, MRSA and MSSA in single colony, 515
S. aureus, multiresistant, and mupirocin resistance, 303
S. aureus, nosocomial infections, 17
S. aureus, in ocular infections, 701
S. aureus pneumonia in mice, 1005
S. aureus, in retroperitoneal abscesses, 697
S. aureus, subtyping, 297
S. epidermidis, activator of FAME, 245
S. epidermidis, lactoferrin and lysozyme co-operation, 867
usefulness of serology, 107, 108
Streptococci
capsular type polysaccharide, 983
group B, 983
in hidradenitis suppurativa, 103
mutans, 917
passive immunisation with colostral proteins, 917
S. oralis, N-acetylneuraminic acid transport, 375
S. pneumoniae, culture media, 1109
S. pneumoniae, detection of pneumolysin, 863
S. pneumoniae, isolation from sputum, 1109
S. pneumoniae, penicillin resistance, 1105
S. pneumoniae, resistance to ciprofloxacin and grepafloxacin, 1101
S. pyogenes, in hidradenitis suppurativa, 103
viridans, 375
Swine erysipelas, 789

Tapeworms, control of infection, 323
Taxonomy
new taxa and proposed changes, 113, 1125
phylogenetic analysis of *C. granulomatis*, 841
Tetracycline
liposomal, anti-chlamydial activity, 689
Throat specimens
detection of *M. pneumoniae* in, 1113
Tick-borne diseases
isolation of *B. burgdorferi*, 59
Toxins
dermonecrotic, of *P. multocida*, 125
exotoxin A of *P. aeruginosa*, 471, 765
histotoxin of *Salmonella* serotype Typhimurium, 811
neurotoxin of *C. butyricum*, 133
Shiga, 11
toxin A of *V. cholerae*, 883
see also Cytotoxins, Endotoxins, Enterotoxins
Toxoplasma gondii
detection by PCR, 857
immunoblotting and IgG absorption, 593
purification of DNA, 857
Trichophyton spp.
molecular typing methods, 33
skin and nail infections, 33
Triclabendazole resistance, 323
Triclosan, effect on *E. coli*, 613
Trimethoprim resistance
Salmonella serotype Typhimurium, 367
Tuberculosis, 757, 1051
Tumour necrosis factor
effects of *A. baumannii* lipopolysaccharide, 479
effects of *P. aeruginosa* exotoxin A, 471

Urine
diabetic, and growth of *E. coli*, 535
effect on *C. trachomatis* PCR, 215
Ussing chambers
enterotoxicity of *V. cholerae*, 51
Uveitis, 417

Vaccines
against *H. pylori*, 1
against leptospires, 417
against *M. tuberculosis*, 757
impact of, 1051
measles-mumps-rubella (MMR), 1073
Vancomycin-resistant enterococci, 695
Verocytotoxic *E. coli*, 891
Vibrio spp.
V. cholerae, detection by PCR, 883
V. cholerae, secretory response of wild-type mutants, 51
V. cholerae, virulence factors, 51
V. mimicus cross-reaction with *V. cholerae* O139, 873
Virulence factors
B. fragilis, 999
enteropathogenic *E. coli*, 41
group B streptococci, 983
Haemophilus spp., 389
L. monocytogenes, 117
P. mirabilis, 527
Salmonella serotype Enteritidis, 253
Sporothrix schenckii conidia, 195
wild-type mutants of *V. cholerae* O1, 51

Water
mineral, maintenance of *H. pylori*, 971
solar disinfection, 786
Western blotting
detection of pneumolysin, 863
Whey, activation of phagocytes, 917
Worms, control of infection, 323
Wound licking
foot infection with *Prevotella* spp., 109

Yersinia spp.
antibiotic susceptibilities, 157
Y. enterocolitica β-lactamases, 1023
Y. pestis, anti-idiotypic antibodies, 751
Y. pestis, lipopolysaccharide, 751

INDEX OF AUTHORS FOR VOLUME 48

ABADI F J R *see* YAKUBU *et al.*, 1053
ABDI Y M, YOUNG K A, RAMPTON D S, HARDIE J M, FELDMAN R A, BANATVALA N. Comparison of the effects of anaerobic and micro-aerophilic incubation on resistance of *Helicobacter pylori* to metronidazole, 407
ABU-HASAN N *see* ADWAN *et al.*, 1105
ACTIS L A *see* SMOOT *et al.*, 629
ADWAN K, ABU-HASAN N, HAMDAN A, AL-KHALILI S. High incidence of penicillin resistance amongst clinical isolates of *Streptococcus pneumoniae* in northern Palestine, 1105
AGRIMI U *see* FATTORINI *et al.*, 577
ALAM K *see* ANSARUZZAMAN *et al.*, 873
ALBEROLA J, TAMARIT A, NAVARRO D. Functional antibody response to human cytomegalovirus in immunocompetent and HIV-1 infected individuals with antibodies that inhibit virus penetration into cells and intercellular transmission of viral infection, 947
ALBERT M J *see* ANSARUZZAMAN *et al.*, 873
ALBERT M J *see* AZIM *et al.*, 11
ALBERT M J *see* TALUKDER *et al.*, 781
AL-BUSTAN M A *see* UDO *et al.*, 819
ALEXANDER G J M *see* EVANS *et al.*, 1029
ALEXANDRE M C F *see* FERREIRA *et al.*, 999
ALFARONE G *see* VON HUNOLSTEIN *et al.*, 983
AL-FELLAH G N, PARTON R, WARDLAW A C. Bactericidal activity of rat lung lavage fluid against *Bordetella pertussis*, 637
AL-KHALILI S *see* ADWAN *et al.*, 1105
ALLARDET-SERVENT A *see* DONNIO *et al.*, 125
ALLEN-VERCOE E, WOODWARD M J. The role of flagella, but not fimbriae, in the adherence of *Salmonella enterica* serotype Enteritidis to chick gut explant, 771
ALLERBERGER F *see* MORABITO *et al.*, 891
ALONSO B *see* MUÑOZ *et al.*, 495
ALVAREZ O *see* MUÑOZ *et al.*, 495
ANDERSEN M F *see* KRISTENSEN *et al.*, 67
ANDREWS N *see* NYE *et al.*, 1109
ANSARUZZAMAN M, SHIMADA T, BHUIYAN N A, NAHAR S, ALAM K, ISLAM M S, ALBERT M J. Cross-reaction between a strain of *Vibrio mimicus* and *V. cholerae* O139 Bengal, 873
ANSORG R *see* RATH *et al.*, 161
ANTONISHYN N *see* CHAN *et al.*, 215
ANTUNES E N F *see* FERREIRA *et al.*, 999
ARRAGA-ALVARADO C, PALMAR M, PARRA O, SALAS P. Fine structural characterisation of a *Rickettsia*-like organism in human platelets from patients with symptoms of ehrlichiosis, 991
ARROUJI A *see* TRIKI *et al.*, 569
ARROUJI Z *see* TRIKI *et al.*, 569
ARVANITIDOU M *see* TZELEPI *et al.*, 157
ASHHURST-SMITH C *see* BARLOW *et al.*, 1121
ASHMAN R B, PAPADIMITRIOU J M, FULURIJA A. Acute susceptibility of aged mice to infection with *Candida albicans*, 1093
AUSIELLO C M *see* GIACOMINI *et al.*, 1079
AUTENRIETH I B *see* HAIMERL *et al.*, 849
AVRIL J-L *see* DONNIO *et al.*, 125
AZIM T, RASHID A, QADRI F, SARKER M S, HAMADANI J, SALAM M A, WAHED M A, ALBERT M J. Antibodies to Shiga toxin in the serum of children with *Shigella*-associated haemolytic uraemic syndrome, 11

BACHER A *see* GOLDBAUM *et al.*, 833
BACON D J, JOHNSON W M, RODGERS F G. Identification and characterisation of a cytotoxic porin–lipopolysaccharide complex from *Campylobacter jejuni*, 139
BAHRI O *see* TRIKI *et al.*, 569
BAILLIE G S, DOUGLAS L J. Role of dimorphism in the development of *Candida albicans* biofilms, 671
BALAKRISH NAIR G *see* KOLEY *et al.*, 51
BALDI P C *see* GOLDBAUM *et al.*, 833
BANATVALA N *see* ABDI *et al.*, 407
BARCHIESI F *see* DI FRANCESCO *et al.*, 955
BARLOW R S, HIRST R G, NORTON R E, ASHHURST-SMITH C, BETTELHEIM K A. A novel serotype of enteropathogenic *Escherichia coli* (EPEC) as a major pathogen in an outbreak of infantile diarrhoea, 1121
BARNARD R J *see* HOWELL *et al.*, 33
BARROW P A *see* LOVELL AND BARROW, 907
BASTIDE J-M *see* RODRIGUEZ *et al.*, 181
BASU ARNAB *see* KOLEY *et al.*, 51
BATEMA R P *see* PETSCHOW *et al.*, 541
BATTLE T *see* HARVEY *et al.*, 461
BEIGHTON D *see* BYERS *et al.*, 375
BELL E C *see* SMOOT *et al.*, 629
BEN-NATHAN D, PADGETT D, LORIA R M. Androstenediol and dehydroepiandrosterone protect mice against lethal bacterial infections and lipopolysaccharide toxicity, 425
BENSAADA M *see* CATALA *et al.*, 89
BEN SASSI J *see* TRIKI *et al.*, 569
BERG D E *see* GZYL *et al.*, 349
BERNARD K *see* DUCHAINE *et al.*, 173
BETTELHEIM K A *see* BARLOW *et al.*, 1121
BETTELHEIM K A *see* MORABITO *et al.*, 891
BHUIYAN N A *see* ANSARUZZAMAN *et al.*, 873
BHUNIA A K *see* PANDIRIPALLY *et al.*, 117
BIJLMER H A *see* SCHOLTEN *et al.*, 943
BISHOP N E. Conformational changes in the hepatitis A virus capsid in response to acidic conditions, 443
BISHOP P A *see* STUBBS *et al.*, 1017
BOLTON A J, MARTIN G D, OSBORNE M P, WALLIS T S, STEPHEN J. Invasiveness of *Salmonella* serotypes Typhimurium, Choleraesuis and Dublin for rabbit terminal ileum *in vitro*, 801
BOLTON A J *see* LODGE *et al.*, 811
BOREL E *see* DANNAOUI *et al.*, 1085
BORGES-NETO A A *see* FALCÃO *et al.*, 515
BORROW R *see* WALKER *et al.*, 297
BOUCHARA J-P *see* DEFONTAINE *et al.*, 773
BOUTER L M *see* SCHOLTEN *et al.*, 943
BRANDT K *see* CHAN *et al.*, 215
BROCHU G *see* DUCHAINE *et al.*, 173
BROOK I. Microbiology of retroperitoneal abscesses in children, 697
BROOK I, FRAZIER E H. Aerobic and anaerobic microbiology of axillary hidradenitis suppurativa, 103
BROOKE C J, RILEY T V. *Erysipelothrix rhusiopathiae*: bacteriology, epidemiology and clinical manifestations of an occupational pathogen, 789
BROUWER E C *see* GEERLINGS *et al.*, 535
BUGHIO N *see* LIN *et al.*, 977
BUTEL M J *see* CATALA *et al.*, 89
BYERS H L, HOMER K A, TARELLI E, BEIGHTON D. N-Acetylneuraminic acid transport by *Streptococcus oralis* strain AR3, 375

CABRAL M M D A *see* QUEIROZ *et al.*, 501
CAGNEY M *see* SANTANGELO *et al.*, 731
CAPRIOLI A *see* MORABITO *et al.*, 891
CARLOTTI A *see* RODRIGUEZ *et al.*, 181
CASELLI F *see* DI FRANCESCO *et al.*, 955
CATALA I, BUTEL M J, BENSAADA M, POPOT F, TESSEDRE A C, RIMBAULT A, SZYLIT O. Oligofructose contributes to the protective role of bifidobacteria in experimental necrotising enterocolitis in quails, 89
CELIŃSKA-CEDRO D *see* GZYL *et al.*, 349
CHABASSE D *see* DEFONTAINE *et al.*, 773
CHAIB F *see* RODRIGUEZ *et al.*, 181
CHAKRABARTI S *see* DUTTA *et al.*, 1011
CHAMBERLAIN N R. Identification and partial characterisation of an extracellular activator of fatty acid modifying enzyme (FAME) expression in *Staphylococcus epidermidis*, 245
CHAN E L, BRANDT K, ANTONISHYN N, HORSMAN G B. Minimal inhibitory effect of male urine on detection of *Chlamydia trachomatis* by Roche Amplicor PCR, 215
CHAPUIS F *see* RODRIGUEZ *et al.*, 181
CHATTERTON J M W, JOSS A W L, PENNINGTON T H, HO-YEN D O. Usefulness of rat-derived antigen in the serodiagnosis of *Pneumocystis carinii* infection, 681

CHATTERTON J M W, WALKINGSHAW D, JOSS A W L, PENNINGTON T H, HO-YEN D O. Absorption of IgG does not enhance toxoplasma IgM and IgA immunoblotting, 593
CHEN S C A *see* SANTANGELO *et al.*, 731
CHIODO F *see* MANFREDI *et al.*, 601
CHOUDHURY A *see* NATH *et al.*, 523
CHUGH T D *see* UDO *et al.*, 819
CIRIONI O *see* DI FRANCESCO *et al.*, 955
CISSÉ M F *see* WINSTANLEY *et al.*, 657
COLES G C. Anthelmintic resistance and the control of worms, 323
COLIZZI V *see* FATTORINI *et al.*, 577
COLLINS A J, NOTARIANNI L J, POTTER U J. An unusual helical micro-organism found in the gut lumen of human subjects, 401
CONFER A W *see* DABO *et al.*, 279
CONROY R M *see* McGUIGAN *et al.*, 786
COOKSON B D *see* MUELLER-PREMRU *et al.*, 451
CORMIER Y *see* DUCHAINE *et al.*, 173
CRAINIC R *see* TRIKI *et al.*, 569
CROSA J H *see* SMOOT *et al.*, 629
CURTIS K *see* DOING *et al.*, 507

DABO S M, DEBEY B M, MONTELONGO M, CONFER A W. Genomic DNA restriction site heterogeneity in bovine *Pasteurella multocida* serogroup A isolates detected with an rRNA probe, 279
DAHLERUP J F *see* KRISTENSEN *et al.*, 67
DANKERT J *see* DORIGO-ZETSMA *et al.*, 1113
DANKERT J *see* SCHOLTEN *et al.*, 943
DANNAOUI E, BOREL E, PERSAT F, MONIER M F, PIENS M A, EBGA Network. In-vivo itraconazole resistance of *Aspergillus fumigatus* in systemic murine aspergillosis, 1085
DART J K *see* HORGAN *et al.*, 701
DA SILVA FILHO L V F, LEVI J E, ODA BENTO C N, DA SILVA RAMOS S R T, ROZOV T. PCR identification of *Pseudomonas aeruginosa* and direct detection in clinical samples from cystic fibrosis patients, 357
DA SILVA RAMOS S R *see* DA SILVA FILHO *et al.*, 357
DÄUBENER W *see* MACKENZIE *et al.*, 935
DAVIDSON M M, EVANS R, LING C L, WISEMAN A D, JOSS A W L, HO-YEN D O. Isolation of *Borrelia burgdorferi* from ticks in the Highlands of Scotland, 59
DEBEY B M *see* DABO *et al.*, 279
DECLERK P *see* DEFONTAINE *et al.*, 773
DEFONTAINE A, BOUCHARA J-P, DECLERK P, PLANCHENAULT C, CHABASSE D, HALLET J-N. In-vitro resistance to azoles associated with mitochondrial DNA deficiency in *Candida glabrata*, 663
DEKITSCH C, SCHEIN R, MARKOPULOS E, KUEN B, GRANINGER W, GEORGOPOULOS A. Analysis of mutations to *gyrA* in quinolone-resistant clinical isolates of *Enterobacter cloacae*, 73
DELLAGI K *see* TRIKI *et al.*, 569
DENMEAD M *see* HARDY *et al.*, 235
DER-HAROUTIAN V *see* GROVE *et al.*, 965
DEROUIN F *see* PUJOL-RIQUÉ *et al.*, 857
DEVDARIANI Z L *see* FEODOROVA *et al.*, 751
DE ZOYSA A S, EFSTRATIOU A. PCR typing of *Corynebacterium diphtheriae* by random amplification of polymorphic DNA, 335
DE ZOYSA A S, HARRISON T G. Molecular typing of *Legionella pneumophila* serogroup 1 by pulsed-field gel electrophoresis with *Sfi*1 and comparison of this method with restriction fragment-length polymorphism analysis, 269
DIBB-FULLER M *see* WALKER *et al.*, 253
DI FRANCESCO L F, BARCHIESI F, CASELLI F, CIRIONI O, SCALISE G. Comparison of four methods for DNA typing of clinical isolates of *Candida glabrata*, 955
DIJKSHOORN L *see* NEMEC *et al.*, 287
DOING K M, CURTIS K, LONG J W, VOLOCK M L. Prospective comparison of the Gen-probe PACE 2 Assay and the Abbott Ligase Chain Reaction for the direct detection of *Chlamydia trachomatis* in a low prevalence population, 507
DOMINGUES R M C P *see* FERREIRA *et al.*, 999
DONNIO P-Y, ALLARDET-SERVENT A, PERRIN M, ESCANDE F, AVRIL J-L. Characterisation of dermonecrotic toxin-producing strains of *Pasteurella multocida* subsp. *multocida* isolated from man and swine, 125
DORIGO-ZETSMA J W, ZAAT S A J, VRIESEMA A J M, DANKERT J. Demonstration by a nested PCR for *Mycoplasma pneumoniae* that *M. pneumoniae* load in the throat is higher in patients hospitalised for *M. pneumoniae* infection than in non-hospitalised subjects, 1113
DOUGLAS C W I *see* TEANPAISAN AND DOUGLAS, 741
DOUGLAS L J *see* BAILLIE AND DOUGLAS, 671
DUBROU S *see* LAWRENCE *et al.*, 327
DUCHAINE C, MÉRIAUX A, BROCHU G, BERNARD K, CORMIER Y. *Saccharopolyspora rectivirgula* from Quebec dairy barns: application of simplified criteria for the identification of an agent responsible for farmer's lung disease, 173
DURA W *see* GZYL *et al.*, 349
DUTTA D K *see* TALUKDER *et al.*, 781
DUTTA P *see* DUTTA *et al.*, 1011
DUTTA S, PAL S, CHAKRABARTI S, DUTTA P, MANNA B. Use of PCR to identify enteroaggregative *Escherichia coli* as an important cause of acute diarrhoea among children living in Calcutta, India, 1011
DZIERŻANOWSKA D *see* GZYL *et al.*, 349

EATON K A *see* MANKOSKI *et al.*, 395
EBGA Network *see* DANNAOUI *et al.*, 1085
EDEN C E *see* SMITH *et al.*, 419
EFSTRATIOU A *see* DE ZOYSA AND EFSTRATIOU, 335
EGERTON S *see* WALKER *et al.*, 297
ELIAS W P, SUZART S, TRABULSI L R, NATARO J P, GOMES T A T. Distribution of *aggA* and *aafA* gene sequences among *Escherichia coli* isolates with genotypic or phenotypic characteristics, or both, of enteroaggregative *E. coli*, 597
ELTRINGHAM G J A *see* WHEELER *et al.*, 863
ESCANDE F *see* DONNIO *et al.*, 125
EVANS E, POXTON I R, GOVAN J R W. Lipopolysaccharide chemotypes of *Burkholderia cepacia*, 825
EVANS P C, GRAY J J, WREGHITT T G, MARCUS R E, ALEXANDER G J M. Comparison of three PCR techniques for detecting cytomegalovirus (CMV) DNA in serum, detection of early antigen fluorescent foci and culture for the diagnosis of CMV infection, 1029
EVANS R *see* DAVIDSON *et al.*, 59

FALCÃO M H L, TEXEIRA L A, FERREIRA-CARVALHO B T, BORGES-NETO A A, FIGUEIREDO A M S. Occurrence of methicillin-resistant and -susceptible *Staphylococcus aureus* within a single colony contributing to MRSA mis-identification, 515
FALLON D *see* NYE *et al.*, 1109
FARBER J M *see* NAZAROWEC-WHITE AND FARBER, 559
FATTORINI L, MATTEI M, PLACIDO R, LI B, IONA E, AGRIMI U, COLIZZI V, OREFICI G. *Mycobacterium avium* infection in BALB/c and SCID mice, 577
FELDMAN R A *see* ABDI *et al.*, 407
FEODOROVA V A, DEVDARIANI Z L, NAZAROVA L S. Adjuvant effect of anti-idiotypic antibodies to *Yersinia pestis* lipopolysaccharide, 751
FERNANDES K S S, MATHEWS H L, LOPES BEZERRA L M. Differences in virulence of *Sporothrix schenckii* conidia related to culture conditions and cell-wall components, 195
FERNÁNDEZ-LAGO L, RODRÍGUEZ-TARAZONA E, VIZCAÍNO N. Differential secretion of interleukin-12 (IL-12) subunits and heterodimeric IL-12p70 protein by CD-1 mice and murine macrophages in response to intracellular infection by *Brucella abortus*, 1063
FERREIRA-CARVALHO B T *see* FALCÃO *et al.*, 515
FERREIRA M C S *see* FERREIRA *et al.*, 999
FERREIRA R, ALEXANDRE M C F, ANTUNES E N F, PINHÃO A T, MORAES S R, FERREIRA M C S, DOMINGUES R M C P. Expression of *Bacteroides fragilis* virulence markers *in vitro*, 999
FERRI M *see* MANFREDI *et al.*, 601
FIGUEIREDO A M S *see* FALCÃO *et al.*, 515
FIGUEIREDO A M S *see* RAMOS *et al.*, 303
FILHO P P G *see* SANTOS *et al.*, 17
FONSECA L S *see* SANTOS *et al.*, 17
FOSSATI C A *see* GOLDBAUM *et al.*, 833
FOX A J *see* WALKER *et al.*, 297
FRAZIER E H *see* BROOK AND FRAZIER, 103
FREDERIKSEN W, MAGEE J, URSING J. Proposed new bacterial taxa and proposed changes of bacterial names published during 1998 and considered to be of interest to medical or veterinary bacteriology, 1125
FREDERIKSEN W, MAGEE J T, URSING J. Proposed new bacterial

taxa and proposed changes of bacterial names published during 1997 and considered to be of interest to medical or veterinary bacteriology, 113
FREEMAN R *see* WHEELER *et al.*, 863
FULURIJA A *see* ASHMAN *et al.*, 1093
FURUYA N *see* MATSUMOTO *et al.*, 765
FURUYA N *see* MIYAZAKI *et al.*, 383

GAASTRA W *see* GEERLINGS *et al.*, 535
GALLAGHER M J *see* WINSTANLEY *et al.*, 657
GALLARDO F, RUIZ J, MARCO F, TOWNER K J, VILA J. Increase in incidence of resistance to ampicillin, chloramphenicol and trimethoprim in clinical isolates of *Salmonella* serotype Typhimurium with investigation of molecular epidemiology and mechanisms of resistance, 367
GALLOWAY A *see* WHEELER *et al.*, 863
GANGULY N K *see* SINGH *et al.*, 79
GARCÌA A, SALGADO F, SOLAR H, GONZÁLEZ C L, ZEMELMAN R, OÑATE A. Some immunological properties of lipopolysaccharide from *Acinetobacter baumannii*, 479
GARCÍA-QUINTANILLA A *see* PUJOL-RIQUÉ *et al.*, 857
GEE B *see* NYE *et al.*, 1109
GEERLINGS S E, BROUWER E C, GAASTRA W, VERHOEF J, HOEPELMAN A I M. Effect of glucose and pH on uropathogenic and non-uropathogenic *Escherichia coli*: studies with urine from diabetic and non-diabetic individuals, 535
GEORGOPOULOS A *see* DEKITSCH *et al.*, 73
GIACOMINI E, URBANI F, AUSIELLO C M, LUZZATI A L. Induction of a specific antibody response to *Bordetella pertussis* antigens in cultures of human peripheral blood mononuclear cells, 1079
GILKS C *see* KARIUKI *et al.*, 1037
GIRÓN J A *see* PELAYO *et al.*, 41
GOERING R V *see* WALKER *et al.*, 297
GOLDBAUM F A, VELIKOVSKY C A, BALDI P C, MÖRTL S, BACHER A, FOSSATI C A. The 18-kDa cytoplasmic protein of *Brucella* species – an antigen useful for diagnosis – is a lumazine synthase, 833
GOMES T A T *see* ELIAS *et al.*, 597
GONZÁLEZ C L *see* GARCÍA *et al.*, 479
GOTO T *see* MIYAGI *et al.*, 883
GOVAN J R W *see* EVANS *et al.*, 825
GRANINGER W *see* DEKITSCH *et al.*, 73
GRANUM P E *see* HARDY *et al.*, 235
GRAY J J *see* EVANS *et al.*, 1029
GREEN J *see* SMITH *et al.*, 419
GREENWOOD D. Reflections at the end of the millennium, 1051
GRILLOT R *see* RODRIGUEZ *et al.*, 181
GROVE D I, DER-HAROUTIAN V, RATCLIFF R M. *Aureobacterium* masquerading as *Corynebacterium aquaticum* infection: case report and review of the literature, 965
GUARRO J *see* MAYAYO *et al.*, 363
GUBINA M *see* MUELLER-PREMRU *et al.*, 451
GUILLOT S *see* TRIKI *et al.*, 569
GUTH B E C, IRINO K, TRABULSI L R. Clonal structure of *Providencia alcalifaciens* strains isolated from diarrhoeal stools in São Paolo, Brazil, 205
GZYL A, DZIERŻANOWSKA D, ROŻYNEK E, CELIŃSKA-CEDRO D, DURA W, BERG D E. PCR-based diagnosis of *Helicobacter pylori* infection in Polish children and adults, 349

HADDING U *see* KITZEROW *et al.*, 485
HAIMERL M, TENTER A M, SIMON K, ROMMEL M, HILGER J, AUTENRIETH I B. Seroprevalence of *Bartonella henselae* in cats in Germany, 849
HALES B A *see* WINSTANLEY *et al.*, 649, 657
HALL E, PARTON R, WARDLAW A C. Time-course of infection and responses in a coughing rat model of pertussis, 95
HALLET J-N *see* DEFONTAINE *et al.*, 773
HAMADANI J *see* AZIM *et al.*, 11
HAMDAN A *see* ADWAN *et al.*, 1105
HAMER T A *see* PETTIT *et al.*, 149
HAMILTON-MILLER J M T, SHAH S. Identification of clinically isolated vancomycin-resistant enterococci: comparison of API and BBL Crystal systems, 695
HAMPSON D J *see* LEE AND HAMPSON, 411
HÄNNINEN M-L *see* RAUTELIN AND HÄNNINEN, 617
HÄNNINEN M-L, HIRVI U. Genetic diversity of canine gastric helicobacters, *Helicobacter bizzozeronii* and *H. salomonis* studied by pulsed-field gel electrophoresis, 341
HARDIE J M *see* ABDI *et al.*, 407
HARDY S P, DENMEAD M, PAREKH N, GRANUM P E. Cationic currents induced by *Clostridium perfringens* type A enterotoxin in human intestinal CaCO-2 cells, 235
HARRISON T G *see* DE ZOYSA AND HARRISON, 269
HART C A *see* JANSEN *et al.*, 551
HART C A *see* KARIUKI *et al.*, 1037
HART C A *see* WINSTANLEY *et al.*, 649, 657
HART C A, RAO S K. Donovanosis, 707
HARVEY P, BATTLE T, LEACH S. Different invasion phenotypes of *Campylobacter* isolates in Caco-2 cell monolayers, 461
HASHIMOTO S *see* MIYAGI *et al.*, 883
HAYMAN J A *see* JOHNSON *et al.*, 511
HEISIG P *see* STOCK *et al.*, 1023
HENDERSON K *see* WHEELER *et al.*, 863
HENRICH B *see* KITZEROW *et al.*, 485
HILGER J *see* HAIMERL *et al.*, 849
HIRAKATA Y *see* MATSUMOTO *et al.*, 765
HIRAKATA Y, KIRIKAE T, KIRIKAE F, YAMAGUCHI T, IZUMIKAWA K, TAKEMURA H, MAESAKI S, TOMONO K, YAMADA Y, KAMIHIRA S, NAKANO M, KITAMURA S, KOHNO S. Effect of *Pseudomonas aeruginosa* exotoxin A on endotoxin-induced tumour necrosis factor production in murine lung, 471
HIRST R G *see* BARLOW *et al.*, 1121
HIRVI U *see* HÄNNINEN AND HIRVI, 341
HOEPELMAN A I M *see* GEERLINGS *et al.*, 535
HOEPF T *see* MANKOSKI *et al.*, 395
HOLLAND S M. Stimulating the phagocytes: progress and problems, 111
HOMER K A *see* BYERS *et al.*, 375
HONDA T *see* MIYAGI *et al.*, 883
HOOSEN A A *see* KHARSANY *et al.*, 841
HORGAN S E, MATHESON M M, McLOUGHLIN-BORLACE L, DART J K. Use of a low nutrient culture medium for the identification of bacteria causing severe ocular infection, 701
HORII T, ICHIYAMA S, OHTA M, KOBAYASHI M. Relationship between morphological changes and endotoxin release induced by carbapenems in *Pseudomonas aeruginosa*, 309
HORSMAN G B *see* CHAN *et al.*, 215
HOWAT A J *see* MARSHALL *et al.*, 1043
HOWELL S A, BARNARD R J, HUMPHREYS F. Application of molecular typing methods to dermatophyte species that cause skin and nail infections, 33
HO-YEN D O *see* CHATTERTON *et al.*, 593, 681
HO-YEN D O *see* DAVIDSON *et al.*, 59
HUCKE C *see* MACKENZIE *et al.*, 935
HUMPHREYS F *see* HOWELL *et al.*, 33

ICHIYAMA S *see* HORII *et al.*, 309
IMURA S *see* MIYAGI *et al.*, 883
IONA E *see* FATTORINI *et al.*, 577
IP C L *see* SENIOR AND IP, 389
IRINO K *see* GUTH *et al.*, 205
ISHII Y *see* MATSUMOTO *et al.*, 765
ISLAM M S *see* ANSARUZZAMAN *et al.*, 873
IZUMIKAWA K *see* HIRAKATA *et al.*, 471

JACOB L E *see* UDO *et al.*, 819
JANDA L *see* NEMEC *et al.*, 287
JANSEN H-J, HART C A, RHODES J M, SAUNDERS J R, SMALLEY J W. A novel mucin-sulphatase activity found in *Burkholderia cepacia* and *Pseudomonas aeruginosa*, 551
JIMÈNEZ DE ANTA M T *see* PUJOL-RIQUÉ *et al.*, 857
JO E-K *see* KIM *et al.*, 585
JOHNSON A P *see* STEWART *et al.*, 1101
JOHNSON P D R, STINEAR T P, HAYMAN J A. *Mycobacterium ulcerans* – a mini-review, 511
JOHNSON W M *see* BACON *et al.*, 139
JONASSON J *see* TIVELJUNG *et al.*, 263
JOSS A W L *see* CHATTERTON *et al.*, 593, 681
JOSS A W L *see* DAVIDSON *et al.*, 59
JOYCE T M *see* McGUIGAN *et al.*, 786

KAI M *see* YAMAGUCHI *et al.*, 927
KAISER R, RAUER S. Advantage of recombinant borrelial proteins for serodiagnosis of neuroborreliosis, 5

KAMIHIRA S *see* HIRAKATA *et al.*, 471
KAMIYA S *see* YAMAGUCHI *et al.*, 927
KAMPHOFF S *see* RATH *et al.*, 161
KARASAWA T *see* MENG *et al.*, 133
KARCH H *see* MORABITO *et al.*, 891
KARIUKI S, GILKS C, KIMARI J, MUYODI J, WAIYAKI P, HART C A. Analysis of *Salmonella enterica* serotype Typhimurium by phage typing, antimicrobial susceptibility and pulsed-field gel electrophoresis, 1037
KARKI B M S *see* PARIJA AND KARKI, 99
KAUFMANN M E *see* MUELLER-PREMRU *et al.*, 451
KETLEY J M *see* LODGE *et al.*, 811
KHAN G N *see* NNALUE *et al.*, 433
KHARSANY A B M, HOOSEN A A, KIEPIELA P, KIRBY R, STURM A W. Phylogenetic analysis of *Calymmatobacterium granulomatis* based on 16S rRNA sequences, 841
KHULLER G K *see* SHARMA *et al.*, 757
KIEPIELA P *see* KHARSANY *et al.*, 841
KIMARI J *see* KARIUKI *et al.*, 1037
KIM H-J, JO E-K, PARK J-K, LIM J-H, MIN D, PAIK T-H. Isolation and partial characterisation of the Triton X-100 solubilised protein antigen from *Mycobacterium tuberculosis*, 585
KIMURA K, MIYAZAKI S, TATEDA K, MATSUMOTO T, TSUJIMOTO S, YAMAGUCHI K. Factors affecting the course and severity of transnasally induced *Staphylococcus aureus* pneumonia in mice, 1005
KIRBY R *see* KHARSANY *et al.*, 841
KIRIKAE F *see* HIRAKATA *et al.*, 471
KIRIKAE T *see* HIRAKATA *et al.*, 471
KITAJIMA M *see* YAMAGUCHI *et al.*, 927
KITAMURA S *see* HIRAKATA *et al.*, 471
KITZEROW A, HADDING U, HENRICH B. Cyto-adherence studies of the adhesin P50 of *Mycoplasma hominis*, 485
KOBAYASHI M *see* HORII *et al.*, 309
KOHNO S *see* HIRAKATA *et al.*, 471
KOLEY H, MITRA R, BASU A, MUKHOPADHYAY A K, SAHA P K, RAMAKRISHNA B S, KRISHNAN S, TAKEDA Y, BALAKRISH NAIR G. Response of wild-type mutants of *Vibrio cholerae* O1 possessing different combinations of virulence genes in the ligated rabbit ileal loop and in Ussing chambers: evidence for the presence of additional secretogen, 51
KORHONEN H *see* LOIMARANTA *et al.*, 917
KORSAGER B *see* KRISTENSEN *et al.*, 67
KRAKOWKA S *see* MANKOSKI *et al.*, 395
KRISHNAN S *see* KOLEY *et al.*, 51
KRISTENSEN B, SMEDEGAARD H H, PEDERSEN H M, ANDERSEN M F, DAHLERUP J F, SØRENSEN H T, KORSAGER B, SCHØNHEYDER H C. Antibiotic resistance patterns among blood culture isolates in a Danish county, 1981–1995, 67
KUANG X *see* MENG *et al.*, 133
KUCHEL P W *see* SANTANGELO *et al.*, 731
KUEN B *see* DEKITSCH *et al.*, 73
KUMAR L *see* SINGH *et al.*, 79
KURIHARA N *see* YAMAGUCHI *et al.*, 927

LAWRENCE C, RONCO E, DUBROU S, LECLERCQ R, NAUCIEL C, MATSIOTA-BERNARD P. Molecular typing of *Legionella pneumophila* serogroup 1 isolates from patients and the nosocomial environment by arbitrarily primed PCR and pulsed-field gel electrophoresis, 327
LEACH S *see* HARVEY *et al.*, 461
LEAL G S *see* SANTOS *et al.*, 17
LEBEAU B *see* RODRIGUEZ *et al.*, 181
LECLERCQ R *see* LAWRENCE *et al.*, 327
LEE B J, HAMPSON D J. Lipo-oligosaccharide profiles of *Serpulina pilosicoli* strains and their serological cross-reactivities, 411
LEE M J S *see* WHEELER *et al.*, 863
LEGNANI-FAJARDO C *see* ZUNINO *et al.*, 527
LEITCH E C, WILLCOX M D P. Elucidation of the antistaphylococcal action of lactoferrin and lysozyme, 867
LENNON A *see* RIGGIO AND LENNON, 317
LEUNG W K *see* WU *et al.*, 721
LEVETT P N. Leptospirosis: re-emerging or re-discovered disease?, 417
LEVI J E *see* DA SILVA FILHO *et al.*, 357
LEWIS M A O *see* STUBBS *et al.*, 1017
LI B *see* FATTORINI *et al.*, 577
LILIUS E-M *see* LOIMARANTA *et al.*, 917
LIM J-H *see* KIM *et al.*, 585
LING C L *see* DAVIDSON *et al.*, 59
LIN M, BUGHIO N, SURUJBALLI O M. Expression in *Escherichia coli* of *flaB*, the gene coding for a periplasmic flagellin of *Leptospira interrogans* serovar pomona, 977
LJUNGH A *see* WADSTRÖM AND LJUNGH, 223
LLOVO J *see* MUÑOZ *et al.*, 495
LODGE J M, BOLTON A J, MARTIN G D, OSBORNE M P, KETLEY J M, STEPHEN J. A histotoxin produced by *Salmonella*, 811
LOIMARANTA V, NUUTILA J, MARNILA P, TENOVUO J, KORHONEN H, LILIUS E-M. Colostral proteins from cows immunised with *Streptococcus mutans/S. sobrinus* support the phagocytosis and killing of mutans streptococci by human leucocytes, 917
LONG J W *see* DOING *et al.*, 507
LOPES BEZERRA L M *see* FERNANDES *et al.*, 195
LORIA R M *see* BEN-NATHAN *et al.*, 425
LOVELL M A, BARROW P A. Intestinal colonisation of gnotobiotic pigs by *Salmonella* organisms: interaction between isogenic and unrelated strains, 907
LU C *see* MENG *et al.*, 133
LUZZATI A L *see* GIACOMINI *et al.*, 1079

McALLISTER S C *see* PETTIT *et al.*, 149
McGUIGAN K G, JOYCE T M, CONROY R M. Solar disinfection: use of sunlight to decontaminate drinking water in developing countries, 786
MacKENZIE C R, HUCKE C, MÜLLER D, SEIDEL K, TAKIKAWA O, DÄUBENER W. Growth inhibition of multiresistant enterococci by interferon-γ-activated human uro-epithelial cells, 935
McLOUGHLIN-BORLACE L *see* HORGAN *et al.*, 701
MAEDA K *see* MIYAGI *et al.*, 883
MAESAKI S *see* HIRAKATA *et al.*, 471
MAGEE J T *see* FREDERIKSEN *et al.*, 113, 1125
MAILLARD J-Y *see* RUSSELL *et al.*, 613
MALLIE M *see* RODRIGUEZ *et al.*, 181
MANFREDI R, NANETTI A, FERRI M, CHIODO F. Fatal *Campylobacter jejuni* bacteraemia in patients with AIDS, 601
MANKOSKI R, HOEPF T, KRAKOWKA S, EATON K A. *flaA* mRNA transcription level correlates with *Helicobacter pylori* colonisation efficiency in gnotobiotic piglets, 395
MANNA B *see* DUTTA *et al.*, 1011
MARANGONI D *see* RAMOS *et al.*, 303
MARCO F *see* GALLARDO *et al.*, 367
MARCUS R E *see* EVANS *et al.*, 1029
MARIANI-KURKDJIAN P *see* MORABITO *et al.*, 891
MARKOPULOS E *see* DEKITSCH *et al.*, 73
MARNILA P *see* LOIMARANTA *et al.*, 917
MARSHALL B, HOWAT A J, WRIGHT P A. Oral fluid antibody detection in the diagnosis of *Helicobacter pylori* infection, 1043
MARTIN G D *see* BOLTON *et al.*, 801
MARTIN G D *see* LODGE *et al.*, 811
MATHESON M M *see* HORGAN *et al.*, 701
MATHEWS H L *see* FERNANDES *et al.*, 195
MATSIOTA-BERNARD P *see* LAWRENCE *et al.*, 327
MATSUMOTO T *see* KIMURA *et al.*, 1005
MATSUMOTO T *see* MIYAZAKI *et al.*, 383
MATSUMOTO T, FURUYA N, TATEDA K, MIYAZAKI S, OHNO A, ISHII Y, HIRAKATA Y, YAMAGUCHI K. Effect of passive immunotherapy on murine gut-derived sepsis caused by *Pseudomonas aeruginosa*, 765
MATSUMOTO Y *see* MIYAGI *et al.*, 883
MATTEI M *see* FATTORINI *et al.*, 577
MAVROIDI A *see* TZELEPI *et al.*, 157
MAYAYO E, PUJOL I, GUARRO J. Experimental pathogenicity of four opportunist *Fusarium* species in a murine model, 363
MELTER O *see* NEMEC *et al.*, 287
MENDES E N *see* QUEIROZ *et al.*, 501
MENG X, YAMAKAWA K, ZOU K, WANG X, KUANG X, LU C, WANG C, KARASAWA T, NAKAMURA S. Isolation and characterisation of neurotoxigenic *Clostridium butyricum* from soil in China, 133
MÉRIAUX A *see* DUCHAINE *et al.*, 173
MESSER S *see* NYE *et al.*, 1109
MILLER R F *see* TSOLAKI *et al.*, 897
MIN D *see* KIM *et al.*, 585

MINELLI F *see* MORABITO *et al.*, 891
MIRÓ J M *see* PUJOL-RIQUÉ *et al.*, 857
MITCHELL L A. Sex differences in antibody- and cell-mediated immune response to rubella re-immunisation, 1073
MITRA R *see* KOLEY *et al.*, 51
MIYAGI K, SANO K, MORITA C, IMURA S, MORIMATSU S, GOTO T, NAKANO Y, OMURA K, MATSUMOTO Y, MAEDA K, HASHIMOTO S, HONDA T. An improved method for detecting faecal *Vibrio cholerae* by PCR of the toxin A gene, 883
MIYAZAKI S *see* KIMURA *et al.*, 1005
MIYAZAKI S *see* MATSUMOTO *et al.*, 765
MIYAZAKI S, MATSUMOTO T, FURUYA N, TATEDA K, YAMAGUCHI K. The pathogenic role of fimbriae of *Haemophilus influenzae* type b in murine bacteraemia and meningitis, 383
MONDON P *see* RODRIGUEZ *et al.*, 181
MONIER M F *see* DANNAOUI *et al.*, 1085
MONSTEIN H-J *see* TIVELJUNG *et al.*, 263
MONTELONGO M *see* DABO *et al.*, 279
MORABITO S, KARCH H, SCHMIDT H, MINELLI F, MARIANI-KURKDJIAN P, ALLERBERGER F, BETTELHEIM K A, CAPRIOLI A. Molecular characterisation of verocytotoxin-producing *Escherichia coli* of serogroup O111 from different countries, 891
MORAES S R *see* FERREIRA *et al.*, 999
MORGAN J A W *see* WINSTANLEY *et al.*, 657
MORIMATSU S *see* MIYAGI *et al.*, 883
MORISSET R *see* SANGARE *et al.*, 689
MORITA C *see* MIYAGI *et al.*, 883
MÖRTL S *see* GOLDBAUM *et al.*, 833
MOTLOVÁ J *see* VON HUNOLSTEIN *et al.*, 983
MUELLER-PREMRU M, GUBINA M, KAUFMANN M E, PRIMOŽIC J, COOKSON B D. Use of semi-quantitative and quantitative culture methods and typing for studying the epidemiology of central venous catheter-related infections in neonates on parenteral nutrition, 451
MUKHOPADHYAY A K *see* KOLEY *et al.*, 51
MULI F W, STRUTHERS J K, TARPEY P A. Electron microscopy studies on *Gardnerella vaginalis* grown in conventional and biofilm systems, 211
MÜLLER D *see* MACKENZIE *et al.*, 935
MUÑOZ A, ALVAREZ O, ALONSO B, LLOVO J. Lectin typing of metl icillin-resistant *Staphylococcus aureus*, 495
MUSTAFA N *see* NNALUE *et al.*, 433
MUYODI J *see* KARIUKI *et al.*, 1037

NAGY E *see* SOKI, 25
NAHAR S *see* ANSARUZZAMAN *et al.*, 873
NAKAMURA S *see* MENG *et al.*, 133
NAKANO M *see* HIRAKATA *et al.*, 471
NAKANO Y *see* MIYAGI *et al.*, 883
NANETTI A *see* MANFREDI *et al.*, 601
NATARO J P *see* ELIAS *et al.*, 597
NATH G, CHOUDHURY A, SHUKLA B N, SINGH T B, REDDY D C S. Significance of *Cryptosporidium* in acute diarrhoea in North-Eastern India, 523
NAUCIEL C *see* LAWRENCE *et al.*, 327
NAVARRO D *see* ALBEROLA *et al.*, 947
NAZAROVA L S *see* FEODOROVA *et al.*, 751
NAZAROWEC-WHITE M, FARBER J M. Phenotypic and genotypic typing of food and clinical isolates of *Enterobacter sakazakii*, 559
NEMEC A, JANDA L, MELTER O, DIJKSHOORN L. Genotypic and phenotypic similarity of multiresistant *Acinetobacter baumannii* isolates in the Czech Republic, 287
NICOLINI L *see* VON HUNOLSTEIN *et al.*, 983
NNALUE N A, KHAN G N, MUSTAFA N. Cross-reactivity between six Enterobacteriaceae complete lipopolysaccharide core chemotypes, 433
NOGUEIRA A M M F *see* QUEIROZ *et al.*, 501
NOLARD N *see* RODRIGUEZ *et al.*, 181
NORTON R E *see* BARLOW *et al.*, 1121
NOTARIANNI L J *see* COLLINS *et al.*, 401
NOURI-SORKHABI M H *see* SANTANGELO *et al.*, 731
NUUTILA J *see* LOIMARANTA *et al.*, 917
NYE K J, FALLON D, GEE B, MESSER S, WARREN R E, ANDREWS N. A comparison of blood agar supplemented with NAD with plain blood agar and chocolated blood agar in the isolation of *Streptococcus pneumoniae* and *Haemophilus influenzae* from sputum, 1109

ODA BENTO C N *see* DA SILVA FILHO *et al.*, 357
OHNO A *see* MATSUMOTO *et al.*, 765
OHTA M *see* HORII *et al.*, 309
OLAISON G *see* TIVELJUNG *et al.*, 263
OLIVEIRA A M R *see* QUEIROZ *et al.*, 501
OLIVEIRA C A *see* QUEIROZ *et al.*, 501
OMURA K *see* MIYAGI *et al.*, 883
OÑATE A *see* GARCÍA *et al.*, 479
OPPENHEIM B A *see* WALKER *et al.*, 297
OREFICI G *see* FATTORINI *et al.*, 577
OREFICI G *see* VON HUNOLSTEIN *et al.*, 983
ORMONDE L R *see* RAMOS *et al.*, 303
OSAKI T *see* YAMAGUCHI *et al.*, 927
OSBORNE M P *see* BOLTON *et al.*, 801
OSBORNE M P *see* LODGE *et al.*, 811

PADGETT D A *see* BEN-NATHAN *et al.*, 425
PAIK T-H *see* KIM *et al.*, 585
PALMAR M *see* ARRAGA-ALVARADO *et al.*, 991
PAL S *see* DUTTA *et al.*, 1011
PANDIRIPALLY V K, WESTBROOK D G, SUNKI G R, BHUNIA A K. Surface protein p104 is involved in adhesion of *Listeria monocytogenes* to human intestinal cell line, Caco-2, 117
PAPADIMITRIOU J M *see* ASHMAN *et al.*, 1093
PAREKH N *see* HARDY *et al.*, 235
PARIJA S C, KARKI B M S. Detection of circulating antigen in amoebic liver abscess by counter-current immunoelectrophoresis, 99
PARISI L *see* VON HUNOLSTEIN *et al.*, 983
PARK J-K *see* KIM *et al.*, 585
PARK S F *see* STUBBS *et al.*, 1017
PARRA O *see* ARRAGA-ALVARADO *et al.*, 991
PARTON R *see* AL-FELLAH *et al.*, 637
PARTON R *see* HALL *et al.*, 95
PEDERSEN H M *see* KRISTENSEN *et al.*, 67
PEDROSO M Z *see* PELAYO *et al.*, 41
PELAYO J S, SCALETSKY I C A, PEDROSO M Z, SPERANDIO V, GIRÓN J A, FRANKEL G, TRABULSI L R. Virulence properties of atypical EPEC strains, 41
PENNINGTON T H *see* CHATTERTON *et al.*, 593, 681
PENNINGTON T H *see* YAKUBU *et al.*, 1053
PERRIN M *see* DONNIO *et al.*, 125
PERSAT F *see* DANNAOUI *et al.*, 1085
PESTI M, SIPICZKI M, PINTÉR Y. Scanning electron microscopy characterisation of colonies of *Candida albicans* morphological mutants, 167
PETSCHOW B W, TALBOTT R D, BATEMA R P. Ability of lactoferrin to promote the growth of *Bifidobacterium* spp. *in vitro* is independent of receptor binding capacity and iron saturation level, 541
PETTIT R K, McALLISTER S C, HAMER T A. Response of gonococcal clinical isolates to acidic conditions, 149
PICCINI C *see* ZUNINO *et al.*, 527
PIENS M A *see* DANNAOUI *et al.*, 1085
PIENS M-A *see* RODRIGUEZ *et al.*, 181
PIGGOTT N H *see* WHEELER *et al.*, 863
PINHÃO A T *see* FERREIRA *et al.*, 999
PINTÉR Y *see* PESTI *et al.*, 167
PLACIDO R *see* FATTORINI *et al.*, 577
PLANCHENAULT C *see* DEFONTAINE *et al.*, 773
POPOT F *see* CATALA *et al.*, 89
POTTER U J *see* COLLINS *et al.*, 401
POXTON I R *see* EVANS *et al.*, 825
PRIMOŽIC J *see* MUELLER-PREMRU *et al.*, 451
PUJOL I *see* MAYAYO *et al.*, 363
PUJOL-RIQUÉ M, DEROUIN F, GARCÍA-QUINTANILLA A, VALLS M E, MIRÓ J M, JIMÉNEZ DE ANTA M T. Design of a one-tube hemi-nested PCR for detection of *Toxoplasma gondii* and comparison of three DNA purification methods, 857
PUTHUCHEARY S D *see* WINSTANLEY *et al.*, 657

QADRI F *see* AZIM *et al.*, 11
QUEIROZ D M M, MENDES E N, ROCHA G A, OLIVEIRA A M R, OLIVEIRA C A, CABRAL M M D A, NOGUEIRA A M M F, SOUZA A F. Serological and direct diagnosis of *Helicobacter pylori* in gastric carcinoma: a case-control study, 501

RAMAKRISHNA B S *see* KOLEY *et al.*, 51
RAMOS R L B, TEIXEIRA L A, ORMONDE L R, SIQUEIRA P L A, SANTOS M S, MARANGONI D, FIGUEIREDO A M S. Emergence of mupirocin resistance in multiresistant *Staphylococcus aureus* clinical isolates belonging to Brazilian epidemic clone III::B:A, 303
RAMPTON D S *see* ABDI *et al.*, 407
RAO S K *see* HART AND RAO, 707
RASHID A *see* AZIM *et al.*, 11
RATCLIFF R M *see* GROVE *et al.*, 965
RATH P-M, KAMPHOFF S, ANSORG R. Value of different methods for the characterisation of *Aspergillus terreus* strains, 161
RAUER S *see* KAISER AND RAUER, 5
RAUTELIN H, HÄNNINEN M-L. Comparison of a commercial test for serotyping heat-stable antigens of *Campylobacter jejuni* with genotyping by pulsed-field gel electrophoresis, 617
RAVAOARINORO M *see* SANGARE *et al.*, 689
RECCHIA S *see* VON HUNOLSTEIN *et al.*, 983
REDDY D C S *see* NATH *et al.*, 523
RHODES J M *see* JANSEN *et al.*, 551
RICHENS J. Antibiotic use for the control of sexually transmitted infections in developing countries – too much or not enough?, 221
RIGGIO M P, LENNON A. Identification by PCR of *Helicobacter pylori* in subgingival plaque of adult periodontitis patients, 317
RIJPKEMA S G T. Prospects for therapeutic *Helicobacter pylori* vaccines, 1
RILEY T V *see* BROOKE AND RILEY, 789
RIMBAULT A *see* CATALA *et al.*, 89
ROCHA G A *see* QUEIROZ *et al.*, 501
RODGERS F G *see* BACON *et al.*, 139
RODRIGUEZ E, SYMOENS F, MONDON P, MALLIE M, PIENS M-A, LEBEAU B, TORTORANO A-M, CHAIB F, CARLOTTI A, VILLARD J, VIVIANI M-A, CHAPUIS F, NOLARD N, GRILLOT R, BASTIDE J-M. Combination of three typing methods for the molecular epidemiology of *Aspergillus fumigatus* infections, 181
RODRÍGUEZ-TARAZONA E *see* FERNÁNDEZ-LAGO *et al.*, 1063
ROMMEL M *see* HAIMERL *et al.*, 849
RONCO E *see* LAWRENCE *et al.*, 327
ROZOV T *see* DA SILVA FILHO *et al.*, 357
ROŻYNEK E *see* GZYL *et al.*, 349
RUIZ J *see* GALLARDO *et al.*, 367
RUSSELL A D, SULLER M T E, MAILLARD J-Y. Do antiseptics and disinfectants select for antibiotic resistance?, 613

SAHA P K *see* KOLEY *et al.*, 51
SALAM M A *see* AZIM *et al.*, 11
SALAS P *see* ARRAGA-ALVARADO *et al.*, 991
SALGADO F *see* GARCÍA *et al.*, 479
SAMARANAYAKE L P *see* WU AND SAMARANAYAKE, 711
SAMARANAYAKE L P *see* WU *et al.*, 721
SANGARE L, MORISSET R, RAVAOARINORO M. In-vitro antichlamydial activities of free and liposomal tetracycline and doxycycline, 689
SANO K *see* MIYAGI *et al.*, 883
SANTANGELO R T, NOURI-SORKHABI M H, SORRELL T C, CAGNEY M, CHEN S C A, KUCHEL P W, WRIGHT L C. Biochemical and functional characterisation of secreted phospholipase activities from *Cryptococcus neoformans* in their naturally occurring state, 731
SANTOS K R N, TEIXEIRA L M, LEAL G S, FONSECA L S, FILHO P P G. DNA typing of methicillin-resistant *Staphylococcus aureus*: isolates and factors associated with nosocomial acquisition in two Brazilian university hospitals, 17
SANTOS M S *see* RAMOS *et al.*, 303
SARKER M S *see* AZIM *et al.*, 11
SAUNDERS J R *see* JANSEN *et al.*, 551
SCALETSKY I C A *see* PELAYO *et al.*, 41
SCALISE G *see* DI FRANCESCO *et al.*, 955
SCHEIN R *see* DEKITSCH *et al.*, 73
SCHMIDT H *see* MORABITO *et al.*, 891
SCHOLTEN R J P M, BIJLMER H A, TOBI H, DANKERT J, BOUTER L M. Upper respiratory tract infection, heterologous immunisation and meningococcal disease, 943
SCHØNHEYDER H C *see* KRISTENSEN *et al.*, 67
SEIDEL K *see* MACKENZIE *et al.*, 935
SENIOR B, IP C L. An investigation into the influences of species and biotype on the type of IgA1 protease produced by isolates of *Haemophilus*, 389
SENIOR B W. Investigation of the types and characteristics of the proteolytic enzymes formed by diverse strains of *Proteus* species, 623
SHAH S *see* HAMILTON-MILLER AND SHAH, 695
SHARMA A K, VERMA I, TEWARI R, KHULLER G K. Adjuvant modulation of T-cell reactivity to 30-kDa secretory protein of *Mycobacterium tuberculosis* $H_{37}Rv$ and its protective efficacy against experimental tuberculosis, 757
SHIMADA T *see* ANSARUZZAMAN *et al.*, 873
SHUKLA B N *see* NATH *et al.*, 523
SIAU H *see* WONG *et al.*, 973
SIMON K *see* HAIMERL *et al.*, 849
SINGH M, VOHRA H, KUMAR L, GANGULY N K. Induction of systemic and mucosal immune response in mice immunised with porins of *Salmonella typhi*, 79
SINGH T B *see* NATH *et al.*, 523
SIPICZKI M *see* PESTI *et al.*, 167
SIQUEIRA P L A *see* RAMOS *et al.*, 303
SLIM A *see* TRIKI *et al.*, 569
SMALLEY J R *see* JANSEN *et al.*, 551
SMEDEGAARD H H *see* KRISTENSEN *et al.*, 67
SMITH A W, GREEN J, EDEN C E, WATSON M L. Nitric oxide-induced potentiation of the killing of *Burkholderia cepacia* by reactive oxygen species: implications for cystic fibrosis, 419
SMOOT L M, BELL E C, CROSA J H, ACTIS L A. Fur and iron transport proteins in the Brazilian purpuric fever clone of *Haemophilus influenzae* biogroup aegyptius, 629
SÖDERHOLM J D *see* TIVELJUNG *et al.*, 263
SOJKA M *see* WALKER *et al.*, 253
SOKI J, SZÖKE I, NAGY E. Characterisation of a 5.5-kb cryptic plasmid present in different isolates of *Bacteroides* spp. originating from Hungary, 25
SOLAR H *see* GARCÍA *et al.*, 479
SØRENSEN H T *see* KRISTENSEN *et al.*, 67
SORRELL T C *see* SANTANGELO *et al.*, 731
SOUZA A F *see* QUEIROZ *et al.*, 501
SPERANDIO V *see* PELAYO *et al.*, 41
STEPHEN J *see* BOLTON *et al.*, 801
STEPHEN J *see* LODGE *et al.*, 811
STEWARD M *see* WHEELER *et al.*, 863
STEWART B A, JOHNSON A P, WOODFORD N. Relationship between mutations in *parcC* and *gyrA* of clinical isolates of *Streptococcus pneumoniae* and resistance to ciprofloxacin and grepafloxacin, 1101
STINEAR T P *see* JOHNSON *et al.*, 511
STOCK I, HEISIG P, WIEDEMANN B. Expression of β-lactamases in *Yersinia enterocolitica* strains of biovars 2, 4 and, 5, 1023
STRUTHERS J K *see* MULI *et al.*, 211
STUBBS S, PARK S F, BISHOP P A, LEWIS M A O. Direct detection of *Prevotella intermedia* and *P. nigrescens* in suppurative oral infection by amplification of 16S rRNA gene, 1017
STURM A W *see* KHARSANY *et al.*, 841
SULLER M T E *see* RUSSELL *et al.*, 613
SULLIVAN P A *see* WU *et al.*, 721
SUNKI G R *see* PANDIRIPALLY *et al.*, 117
SURUJBALLI O M *see* LIN *et al.*, 977
SUZART S *see* ELIAS *et al.*, 597
SWEENEY A W. Prospects for control of mosquito-borne diseases, 879
SYMOENS F *see* RODRIGUEZ *et al.*, 181
SZÖKE I *see* SOKI, 25
SZYLIT O *see* CATALA *et al.*, 89

TAGUCHI H *see* YAMAGUCHI *et al.*, 927
TAKAHASHI M *see* YAMAGUCHI *et al.*, 927
TAKEDA Y *see* KOLEY *et al.*, 51
TAKEMURA H *see* HIRAKATA *et al.*, 471
TAKIKAWA O *see* MACKENZIE *et al.*, 935
TALBOTT R D *see* PETSCHOW *et al.*, 541
TALUKDER K A, DUTTA D K, ALBERT M J. Evaluation of pulsed-field gel electrophoresis for typing of *Shigella dysenteriae* type 1, 781
TAMARIT A *see* ALBEROLA *et al.*, 947
TARELLI E *see* BYERS *et al.*, 375
TARPEY P A *see* MULI *et al.*, 211
TATEDA K *see* KIMURA *et al.*, 1005

TATEDA K *see* MATSUMOTO *et al.*, 765
TATEDA K *see* MIYAZAKI *et al.*, 383
TEANPAISAN R, DOUGLAS C W I. Molecular fingerprinting of *Porphyromonas gingivalis* by PCR of repetitive extragenic palindromic (REP) sequences and comparison with other fingerprinting methods, 741
TEIXEIRA L A *see* RAMOS *et al.*, 303
TEIXEIRA L M *see* SANTOS *et al.*, 17
TENOVUO J *see* LOIMARANTA *et al.*, 917
TENTER A M *see* HAIMERL *et al.*, 849
TESSEDRE A C *see* CATALA *et al.*, 89
TEWARI R *see* SHARMA *et al.*, 757
TEXEIRA L A *see* FALCÃO *et al.*, 515
TISSI L *see* VON HUNOLSTEIN *et al.*, 983
TIVELJUNG A, SÖDERHOLM J D, OLAISON G, JONASSON J, MONSTEIN H-J. Presence of eubacteria in biopsies from Crohn's disease inflammatory lesions as determined by 16S rRNA gene-based PCR, 263
TOBI H *see* SCHOLTEN *et al.*, 943
TOMONO K *see* HIRAKATA *et al.*, 471
TORTORANO A-M *see* RODRIGUEZ *et al.*, 181
TOWNER K J *see* GALLARDO *et al.*, 367
TRABULSI L R *see* ELIAS *et al.*, 597
TRABULSI L R *see* GUTH *et al.*, 205
TRIKI H, BAHRI O, GUILLOT S, VAN DER AVOORT H G A M, BEN SASSI J, ARROUJI A, ARROUJI Z, SLIM A, CRAINIC R, DELLAGI K. Molecular epidemiology of poliovirus infection in Tunisia, 569
TSAKRIS A *see* TZELEPI *et al.*, 157
TSOLAKI A G, MILLER R F, WAKEFIELD A E. Oropharyngeal samples for genotyping and monitoring response to treatment in AIDS patients with *Pneumocystis carinii* pneumonia, 897
TSUJIMOTO S *see* KIMURA *et al.*, 1005
TZELEPI E, ARVANITIDOU M, MAVROIDI A, TSAKRIS A. Antibiotic susceptibilities of *Yersinia enterocolitica* and *Y. intermedia* isolates from aquatic environments, 157

UDO E E, AL-BUSTAN M A, JACOB L E, CHUGH T D. Enterotoxin production by coagulase-negative staphylococci in restaurant workers from Kuwait City may be a potential cause of food poisoning, 819
URBANI F *see* GIACOMINI *et al.*, 1079
URSING J *see* FREDERIKSEN *et al.*, 113, 1125

VALLS M E *see* PUJOL-RIQUÉ *et al.*, 857
VAN DER AVOORT H G A M *see* TRIKI *et al.*, 569
VELIKOVSKY C A *see* GOLDBAUM *et al.*, 833
VERHOEF J *see* GEERLINGS *et al.*, 535
VERMA I *see* SHARMA *et al.*, 757
VILA J *see* GALLARDO *et al.*, 367
VILLARD J *see* RODRIGUEZ *et al.*, 181
VIVIANI M-A *see* RODRIGUEZ *et al.*, 181
VIZCAÍNO N *see* FERNÁNDEZ-LAGO *et al.*, 1063
VOHRA H *see* SINGH *et al.*, 79
VOLOCK M L *see* DOING *et al.*, 507
VOLPE C *see* VON HUNOLSTEIN *et al.*, 983
VON HUNOLSTEIN C, PARISI L, TISSI L, RECCHIA S, ALFARONE G, NICOLINI L, VOLPE C, WAGNER B, MOTLOVÁ J, OREFICI G. Virulence properties of type VII *Streptococcus agalactiae* (group B streptococci) and immunochemical analysis of capsular type polysaccharide, 983
VRIESEMA A J M *see* DORIGO-ZETSMA *et al.*, 1113

WADSTRÖM T, LJUNGH A. Glycosaminoglycan-binding microbial proteins in tissue adhesion and invasion: key events in microbial pathogenicity, 223
WAGNER B *see* VON HUNOLSTEIN *et al.*, 983
WAHED M A *see* AZIM *et al.*, 11
WAIYAKI P *see* KARIUKI *et al.*, 1037
WAKEFIELD A E *see* TSOLAKI *et al.*, 897
WALKER J, BORROW R, GOERING R V, EGERTON S, FOX A J, OPPENHEIM B A. Subtyping of methicillin-resistant *Staphylococcus aureus* isolates from the North-West of England: a comparison of standardised pulsed-field gel electrophoresis with bacteriophage typing including an inter-laboratory reproducibility study, 297
WALKER S L, SOJKA M, DIBB-FULLER M, WOODWARD M J. Effect of pH, temperature and surface contact on the elaboration of fimbriae and flagella by *Salmonella* serotype Enteritidis, 253
WALKINGSHAW D *see* CHATTERTON *et al.*, 593
WALLIS T S *see* BOLTON *et al.*, 801
WANG C *see* MENG *et al.*, 133
WANG X *see* MENG *et al.*, 133
WARDLAW A C *see* AL-FELLAH *et al.*, 637
WARDLAW A C *see* HALL *et al.*, 95
WARREN R E *see* NYE *et al.*, 1109
WATSON M L *see* SMITH *et al.*, 419
WESTBROOK D G *see* PANDIRIPALLY *et al.*, 117
WHEELER J, FREEMAN R, STEWARD M, HENDERSON K, LEE M J S, PIGGOTT N H, ELTRINGHAM G J A, GALLOWAY A. Detection of pneumolysin in sputum, 863
WIEDEMANN B *see* STOCK *et al.*, 1023
WILLCOX M D P *see* LEITCH AND WILLCOX, 867
WINSTANLEY C, HALES B A, HART C A. Evidence for the presence in *Burkholderia pseudomallei* of a type III secretion system-associated gene cluster, 649
WINSTANLEY C, HALES B A, MORGAN J A W, GALLAGHER M J, PUTHUCHEARY S D, CISSÉ M F, HART C A. Analysis of *fliC* variation among clinical isolates of *Burkholderia cepacia*, 657
WISEMAN A D *see* DAVIDSON *et al.*, 59
WONG S S Y, SIAU H, YUEN K Y. *Penicillium marneffei* – West meets East, 973
WOODFORD N *see* STEWART *et al.*, 1101
WOODWARD M J *see* ALLEN-VERCOE AND WOODWARD, 771
WOODWARD M J *see* WALKER *et al.*, 253
WREGHITT T G *see* EVANS *et al.*, 1029
WRIGHT L C *see* SANTANGELO *et al.*, 731
WRIGHT P A *see* MARSHALL *et al.*, 1043
WU T, SAMARANAYAKE L P, LEUNG W K, SULLIVAN P A. Inhibition of growth and secreted aspartyl proteinase production in *Candida albicans* by lysozyme, 721
WU T, SAMARANAYAKE L P. The expression of secreted aspartyl proteinases of *Candida* species in human whole saliva, 711

YAKUBU D E, ABADI F J R, PENNINGTON T H. Molecular typing methods for *Neisseria meningitidis*, 1053
YAMADA Y *see* HIRAKATA *et al.*, 471
YAMAGUCHI H, OSAKI T, KURIHARA N, KITAJIMA M, KAI M, TAKAHASHI M, TAGUCHI H, KAMIYA S. Induction of secretion of interleukin-8 from human gastric epithelial cells by heat-shock protein 60 homologue of *Helicobacter pylori*, 927
YAMAGUCHI K *see* KIMURA *et al.*, 1005
YAMAGUCHI K *see* MATSUMOTO *et al.*, 765
YAMAGUCHI K *see* MIYAZAKI *et al.*, 383
YAMAGUCHI T *see* HIRAKATA *et al.*, 471
YAMAKAWA K *see* MENG *et al.*, 133
YOUNG K A *see* ABDI *et al.*, 407
YUEN K Y *see* WONG *et al.*, 973

ZAAT S A J *see* DORIGO-ZETSMA *et al.*, 1113
ZEMELMAN R *see* GARCÍA *et al.*, 479
ZOU K *see* MENG *et al.*, 133
ZUNINO P, PICCINI C, LEGNANI-FAJARDO C. Growth, cellular differentiation and virulence factor expression by *Proteus mirabilis in vitro* and *in vivo*, 527